

References

- Abecasis, D., Bentes, L., Coelho, R., Correia, C., Lino, P. G., Monteiro, P. & Erzini, K. (2008). Ageing seabreams: A comparative study between scales and otoliths. *Fisheries Research* 89(1): 37–48.
- Adams, S.M., Brown, A.M. & Goede, R.W. 1993. A quantitative health assessment index for rapid evaluation of fish condition in the field. *Transactions of the American Fisheries Society* 122(1): 63–73.
- Arthington, A.H., Rall, J.L., Kennard, M.J. & Pusey, B.J. 2003. Environmental flow requirements of fish in Lesotho rivers using the DRIFT methodology. *River Research and Applications* 19(5/6): 641–666.
- Badenhuizen, T.R. 1967. Some notes on the population dynamics of *Hydrocynus vittatus* (Castelnau) in Lake Kariba. *Hydrobiologia* 30(3/4): 527–540.
- Bain, M.B., Finn, J.T. & Booke, H.E. 1988. Streamflow regulation and fish community structure. *Ecology* 69(2): 382–392.
- Beard, J. 2006. DDT and human health. *Science of the Total Environment* 355: 78–89.
- Barton, B.A. & Schreck, C.B. 1987. Metabolic cost of acute physical stress in juvenile steelhead. *Transactions of the American Fisheries Society* 116: 257–263.
- Beamish, R.J. & Fournier, D.A. 1981. A method for comparing the precision of a set of age determinations. *Canadian Journal of Fisheries and Aquatic Sciences* 38: 982–983.
- Beamish, R.J. & McFarlane, G.A. 1983. The forgotten requirement for age validation in fisheries biology. *Transactions of the American Fisheries Society* 112: 735–743.
- Bernet, D., Schmidt, H., Meier, W., Burkhardt-Holm, P. & Wahli, T. 1999. Histopathology in fish: proposal for a protocol to assess aquatic pollution. *Journal of Fish Diseases*, 22: 25–34.
- Bouwman, H., Coetzee, A. & Schutte, C.H. 1990. Environmental and health implications of DDT-contaminated fish from the Pongolo flood plain. *Journal of African Zoology*, 104: 275–286.
- Bruton, M.N. 1979. The breeding biology and early development of *Clarias gariepinus* (Pisces: Clariidae) in Lake Sibaya, South Africa, with a review of breeding in species of the subgenus *Clarias* (*Clarias*). *The Transactions of the Zoological Society of London* 35: 1–45.

- Brothers, E.B., Mathews, C.P. & Lasker, R. 1976. Daily growth increments in otoliths from larval and adult fishes. *Fisheries Bulletin* 74(1):1–8
- Campana, S.E. & Nielson, J.D., 1985. Microstructure of fish otoliths. *Canadian Journal of Fish and Aquatic Science* 42: 1014–1032.
- Campana, S. E. 1999. Chemistry and composition of fish otoliths: pathways, mechanisms and applications. *Marine Ecology Progress Series* 188: 263–297.
- Campana, S.E. & Thorrold, S.R. 2001. Otoliths, increments and elements: keys to a comprehensive understanding of fish populations. *Canadian Journal of Fish and Aquatic Science* 58: 30–38.
- Campana, S.E. 2001. Accuracy, precision and quality control in age determination, including a review of the use and abuse of age validation methods. *Journal of Fish Biology* 59: 197–242.
- Carverley, P.M., & Downs, C.T. (2013?). Habitat use by Nile crocodiles in Ndumo Game Reserve, South Africa: a naturally patchy environment. *Southern African Journal of Aquatic Science* (In press).
- Carlander, K.D. 1969. *Handbook of freshwater biology: life history data on freshwater fishes of the United States and Canada, exclusive of the Perciformes*. Volume 1. Ames: Iowa State University Press.
- Cote, D., Gregory, R.S., Morris, C.J., Newton, B.H., & Schneider, D.C. 2013. Elevated habitat quality reduces variance in fish community composition. *Journal of Experimental Marine Biology and Ecology* 440: 22–28.
- Cooke, S.J. & Suski, C.D. 2005. Do we need species specific guidelines for catch-and-release recreational angling to effectively conserve diverse fishery resources? *Biodiversity and Conservation* 14: 1195–1209.
- Dalu, T., Clegg, B. & Nhiwatiwa, T. 2013. Length–weight relationships and condition factors of six fish species caught using gill nets in a tropical African reservoir, Zimbabwe. *Transactions of the Royal Society of South Africa* 68(1): 75–79.
- DeAngelis, D.L., Trexler, J.C., Cosner, C., Obaza, A. & Jopp, F. 2010. Fish population dynamics in a seasonally varying wetland. *Ecological Modelling* 221(8): 1131–1137.
- Dunz, A.R. & Schliewen, U.K. 2013. Molecular phylogeny and revised classification of the haplotilapiine cichlid fishes formerly referred to as ‘Tilapia’. *Molecular Phylogenetics and Evolution* 68(1): 64–80.
- Dynesius, M. & Nilsson, C. 1994. Fragmentation and flow regulation of river systems in the northern third of the world. *Science* 266, 753–762.

- Engelbrecht, B.M., Comita, L.S., Condit, R., Kursar, T.A., Tyree, M.T., Turner, B.L., & Hubbell, S.P. 2007. Drought sensitivity shapes species distribution patterns in tropical forests. *Nature* 447(7140): 80–82.
- Freeman, M.C., Bowen, Z.H., Bovee, K.D. & Irwin, E.R. 2001. Flow and natural effects on juvenile fish abundance in natural and altered flow regimes. *Ecological Applications* 11(1): 179–190.
- Gaigher, I.G. 1970. Ecology of the tigerfish (*Hydrocynus vittatus*) in the Incomati River system, South Africa. *Zoologica Africana* 5: 211–227.
- Geffen, A.J. 1992. Validation of otolith increment deposition rate. In: Stevenson, D.K. & Campana, S.E. (eds.), *Otolith microstructure examination and analysis*, pp 101–113. Department of Fisheries and Oceans Canadian Special Publication of Fisheries and Aquatic Science. 117.
- Gerber, R., Smit, N.J. & Wagenaar, G.M. 2012. Age, growth rate and size at sexual maturity of *Labeobarbus aeneus* (Teleostei: Cyprinidae) in the middle Vaal River, South Africa. *African Journal of Aquatic Science* 37(1): 49–58.
- Goede, R.W. & Barton, B.A. 1990. Organismic indices and an autopsy-based assessment as indicators of health and condition of fish. *American Fisheries Society Symposium*, 8: 93–108.
- Gorman, O.T. & Karr, J.R., 1987. Habitat structure and stream fish communities. *Ecology* 59(3): 507–515.
- Heath, S. K., & Plater, A.J. 2010. Records of pan (floodplain wetland) sedimentation as an approach for post-hoc investigation of the hydrological impacts of dam impoundment: The Pongolo river, KwaZulu-Natal. *Water Research* 44(14): 4226–4240.
- Heeg, J., Breen, C.M, & Rogers. K.H. 1980. The Pongolo floodplain a unique ecosystem threatened. *Die Siviele Ingeneur* 1: 125–128.
- Heeg, J. & Breen, C.M. 1982. Man and the Phongolo floodplain. South African National Scientific Programmes Report No. 56, CSIR, Pretoria. 117.
- Holmlund, C. M. & Hammer, M. 1999. Ecosystem services generated by fish populations. *Ecological Economics* 29(2): 253–268.
- Humason, G.L. 1962. *Animal tissue techniques*, 4th edn. Freeman and Company, New York.
- James, P.E.J. & Bruton, M.N. 1992. Alternative life-history traits associated with reproduction in *Oreochromis mossambicus* (Pisces: Cichlidae) in small water bodies of the eastern Cape, South Africa. *Environmental Biology of Fishes* 34: 379–392

- James, C. S. & King, J. M. 2010. Ecohydraulics for South African rivers: a review and guide. WRC report no. TT, 453–410.
- Jennings, S., Greenstreet, S.P.R. & Reynolds, J.D. 1999. Structural change in an exploited fish community: a consequence of differential fishing effects on species with contrasting life histories. *Journal of Animal Ecology* 68: 617–627.
- Jia, Y.T. & Chen, Y.F. 2013. River health assessment in a large river: Bioindicators of fish population. *Ecological Indicators* 26: 24–32.
- Jones, G.P. 1986. Food availability affects growth in a coral reef fish. *Oecologia* 70: 136–139
- Kleynhans, C.J. 2007. Module D: Fish response assessment index in river ecoclassification: manual for ecostatus determination (version 2) Joint Water Research Commission and Department of Water Affairs and Forestry report. WRC Report No. TT330/08
- Kleynhans, C.J. & Louw, M.D. 2007. Module A: Ecoclassification and ecostatus determination in river ecoclassification: manual for ecostatus determination (version 2). WRC report No. TT 329/8.
- Kobza, R.M., Trexler, J.C., Loftus, W.F., & Perry, S.A. 2004. Community structure of fishes inhabiting aquatic refuges in a threatened Karst wetland and its implications for ecosystem management. *Biological Conservation* 116: 153–165.
- Kushlan, J.A. 1976. Environmental stability and fish community diversity. *Ecology* 57(4): 821–825.
- Lankford, B., Pringle, C. & Dickens, C. 2011. Hydrological modelling of water allocation , ecosystem services and poverty alleviation in the Pongola floodplain, South Africa. *Journal of Environmental Planning and Management* 54(9): 1237–1260.
- McHugh, K.J., Smit, N.J., Vuren, J.H.J., Van Dyk, J.C., Van Bervoets, L., Covaci, A. & Wepener, V. 2011. A histology-based fish health assessment of the tigerfish , *Hydrocynus vittatus* from a DDT-affected area. *Physics and Chemistry of the Earth* 36(14/15): 895–904.
- Merron, G.S., la Hausse de Lalouviere, P. & Bruton, M.N. 1985. The recovery of the fishes of the Phongolo floodplain after a severe drought. JLB Smith Institute of Ichthyology. Investigational Report No. 13. 1-48.
- Merron, G.S, Bruton, M.N. & la Hausse de Lalouviere, P. 1993a. Implications of water release from the Pongolapoort Dam for the fish and fishery of the Phongolo floodplain, Zululand. *Southern African Journal of Aquatic Sciences* 19: 34-49.
- Merron, G.S., Weldrick, S.R. & Bruton, M.N. 1993b. A Fisheries Survey of The Phongolo Floodplain, Zululand, South Africa (December Survey). JLB Smith Institute of Ichthyology. Investigational Report No. 45. JLB Smith Institute of Ichthyology. Grahamstown.

- Merron, G.S., Weldrick, S.R. & Kaiser, H. 1994a. The Second Fisheries Survey of The Phongolo Floodplain, Zululand, South Africa (February Survey). JLB Smith Institute of Ichthyology. Investigational Report No. 46. JLB Smith Institute of Ichthyology. Grahamstown.
- Merron, G.S., Weldrick, S.R., Kaiser, H. & Bruton, M.N. 1994b. The Third Fisheries Survey of The Phongolo Floodplain, Zululand, South Africa (April Survey). JLB Smith Institute of Ichthyology. Investigational Report No. 47. JLB Smith Institute of Ichthyology. Grahamstown.
- Merron, G.S., Weldrick, S.R., Kaiser, H. & Bruton, M.N. 1994c. The Fourth Fisheries Survey of The Phongolo Floodplain, Zululand, South Africa (June Survey). JLB Smith Institute of Ichthyology. Investigational Report No. 48. JLB Smith Institute of Ichthyology. Grahamstown.
- Merron, G.S., Weldrick, S.R., Kaiser, H. & Bruton, M.N. 1994d. The Fifth Fisheries Survey of The Phongolo Floodplain, Zululand, South Africa (August Survey). JLB Smith Institute of Ichthyology. Investigational Report No. 49. JLB Smith Institute of Ichthyology. Grahamstown.
- Merron, G.S., Weldrick, S.R., Kaiser, H. & Bruton, M.N. 1994e. The Sixth Fisheries Survey of The Phongolo Floodplain, Zululand, South Africa (November Survey). JLB Smith Institute of Ichthyology. Investigational Report No. 50. JLB Smith Institute of Ichthyology. Grahamstown.
- Mitchell, D.M.W., Entekin, S.A. & Adams, G.L. 2012. Structure and function of large wood in Ozark headwater streams and its relationship to fish community structure. *Journal of Freshwater Ecology* 27(3): 335–349.
- Moerke, A.H. & Lamberti, G.A., 2003. Responses in fish community structure to restoration of two Indiana streams. *North American Journal of Fisheries Management* 23(3): 37–41.
- Mucina, L. & Rutherford, M.C. (eds.) 2006. *The vegetation of South Africa, Lesotho and Swaziland*. *Strelitzia* 19. South African Biodiversity Institute, Pretoria.
- Murray, A.M. & Stewart, K.M. 2002. Phylogenetic relationships of the African genera *Alesres* and *Brycinus* (Teleostei, Characiformes, Alestidae). *Canadian Journal of Zoology* 80: 1887–1899.
- Naghibi, A. & Lence, B. 2012. Assessing impacts of high flow events on fish population: Evaluation of risk-based performance measures. *Ecological Modelling*, 240, 16–28.
- NEMBA 2007. National Environmental Management: Biodiversity Act, 2004 (Act No. 10 of 2004). Publication of list of critically endangered, endangered, vulnerable and protected species. Government Gazette No 29657, 23 February 2007.

- NEMBA 2013. National Environmental Management: Biodiversity Act, 2004 (Act No. 10 of 2004). Publication of lists of species that are threatened or protected, activities that are prohibited and exemption from restriction. Government Gazette No 36375, 16 April 2013.
- Olden, J.D., Jackson, D.A. & Peres-Neto, P.R. 2002. Predictive models of fish species distributions : a note on proper validation and chance predictions. *Transactions of the American Fisheries Society* 131: 326–336.
- Panella, G. 1971. Fish otoliths: daily growth layers and periodical patterns. *Science* 173: 1124-1127
- Paxton, B.R. & King, J.M. 2009. The influence of hydraulics, hydrology and temperature on the distribution, habitat use and recruitment of threatened cyprinids in a Western Cape River, South Africa. WRC report No. 1486/1/09. Water Research Commission, Pretoria. 1–170.
- Poff, N.L. & Ward, J.V. 1989. Implications of stream flow variability and predictability for lotic community structure: a regional analysis of stream flow patterns. *Canadian Journal of Fisheries and Aquatic Sciences* 46(10): 1805–1818.
- PRESPA, 2009. Pongola River Ecosystem Services for Poverty Alleviation: Project briefs.
- .
- Quinn, J.W. & Kwak, T.J. 2003. Fish assemblage changes in an Ozark River after impoundment: a long-term perspective. *Transactions of the American Fisheries Society* 132(1): 37–41.
- Russell, D.J., Thuesen, P.A. & Thomson, F.E. 2012. A review of the biology, ecology, distribution and control of Mozambique tilapia, *Oreochromis mossambicus* (Peters 1852) (Pisces: Cichlidae) with particular emphasis on invasive Australian populations. *Reviews in Fish Biology and Fisheries* 22(3): 533–554.
- Schmitt, C.J. & Dethloff, G.M., 2000. Biomonitoring of Environmental Status and Trends (BEST) Program: selected methods for monitoring chemical contaminants and their effects in aquatic ecosystems. Information and Technology Report USGS/BRD 2000-0005. Columbia, Missouri: US Geological Survey, Biological Resources Division. MO 81.
- Secor, D.H., Dean, J.M., Laban, E.H., 1992. Manual for otolith removal and preparation for microstructural examination. Electric Power Research Institute, Palo Alto, CA, and Belle W. Baruch Institute for Marine Biology and Coastal Research, University of South Carolina, Columbia, USA.

- Sereda, B.L., & Meinhardt, H.R. 2005. Contamination of the water environment in malaria endemic areas of KwaZulu-Natal, South Africa by DDT and its metabolites. *Bulletin of Environmental Contamination and Toxicology* 75: 538–545.
- Skelton, P. 2001. *A complete guide to the freshwater fishes of southern Africa*. Struik, Cape Town.
- Smit, N.J., Howatson, G. & Greenfield, R., 2009. Blood lactate levels as a biomarker for angling-induced stress in tigerfish *Hydrocynus vittatus* from the Okavango Delta, Botswana. *African Journal of Aquatic Science* 34(3): 255–259.
- Soekoe, M. 2012. Genetic differentiation, colour variation and age structure of selected southern African tigerfish (*Hydrocynus vittatus*) populations. Johannesburg: University of Johannesburg. (Thesis – MSc).
- South Africa. 1998. National Water Act 36 of 1998. Government Gazette. 101p.
- South Africa. Department of Water Affairs and Forestry. 2003. *Ecoregions in South Africa 2003*. Cape Town.
- Steyn, G.J., Gagiano, C.L., Deacon, A.R. & du Preez, H.H. 1996. Notes on the induced reproduction and development of the tigerfish, *Hydrocynus vittatus* (Characidae), embryos and larvae. *Environmental Biology of Fishes* 47: 387–398.
- Van der Bank, F. & Deacon, A., 2007. Increased backcrossing has reduced the usefulness of morphological and allozyme data for identifying *Oreochromis niloticus*, *O. mossambicus* (Teleostei: Cichlidae) and their hybrids in the Pafuri reach of the Luvuvhu River in the Kruger National Park, South. *African Journal of Aquatic Science* 32(2):193–196.
- Van Dyk, J.C., Pieterse, G.M. & van Vuren, J.H.J. 2007. Histological changes in the liver of *Oreochromis mossambicus* (Cichlidae) after exposure to cadmium and zinc. *Ecotoxicology and Environmental Safety* 66(3): 432–440
- Van Dyk, J.C., Marchand, M.J., Smit, N.J. & Pieterse, G.M. 2009. A histology-based fish health assessment of four commercially and ecologically important species from the Okavango Delta panhandle, Botswana. *African Journal of Aquatic Science* 34: 273–282.
- Van Loggerenberg, N. 1983. Conservation of Tigerfish and fish farming techniques. *Fauna & Flora* 40: 30–31.
- Van Vuuren, L. 2009. Pongolapoort Dam. Development steeped in controversy. *The Water Wheel* 8(3): 23–27.

- Velmurugan, B., Selvanayagam, M., Cengiz, E.I. & Unlu, E. 2007. Histopathology of lambda-cyhalothrin on tissues (gill, kidney, liver and intestine) of *Cirrhinus mrigala*. *Environmental Toxicology and Pharmacology* 24: 286–291.
- Wedemeyer, G.A., Barton, G.A. & D.J. McLeay. 1990. Stress and acclimation. Pages 451-477 in C. B. Schreck and P. B. Moyle (eds.), *Methods for fish biology*. American Fisheries Society, Bethesda, Maryland.
- Weldrick, S.K. 1996. *The development of an ecological model to determine flood release options for the management of the Phongolo Floodplain in KwaZulu-Natal (South Africa)*. Grahamstown: Rhodes University (Thesis – MSc).
- Weyl, O.L.F. & Hecht, T. 1998. The biology of *Tilapia rendalli* and *Oreochromis mossambicus* (Pisces: Cichlidae) in a subtropical lake in Mozambique. *South African Journal of Zoology* 33(3): 178–188.
- Watkeys, M.K., Mason, T.R., Goodman, P.S. 1993. The role of geology in the development of Maputaland, South Africa. *Journal of African Earth Science* 16 (1/2): 205–221.
- Whitfield, A. K., & Blaber, S. M. 1976. The effects of temperature and salinity on *Tilapia rendalli* (Boulenger 1896). *Journal of Fish Biology* 9: 99–104.
- Williams, J.E., Johnson, J.E., Hendrickson, D.A., Contreras-Balderas, S., Williams, J.D., Navarro-Mendoza, M., McAllister, D.E. & Deacon, J.E. 1989. Fishes of North America: endangered, threatened, or of special concern. *Fisheries* 14(6): 2–20.
- Wischniowski, S. & Bobko, S. 1998. *Age and growth laboratory manual*. Norfolk, USA: Old Dominion University, Virginia Marine Resources Commission.
- Zimmerli, S., Bernet, D., Burkhardt-Holm, P., Schmidt-Posthaus, H., Vonlanthen, P., Wahli, T. & Segner, H. 2007. Assessment of fish health status in four Swiss rivers showing a decline in brown trout catches. *Aquatic Science* 69: 11–25.
- Zaroogian G, Gardner G, Borsay-Horowitz, D., Gutjahr-gobell, R., Haebler, R. & Mills, L. 2001. Effect of 17 β -estradiol, o,p0-DDT, octylphenol and p,p0-DDE on gonadal development and liver and kidney pathology in juvenile male summer flounder (*Paralochthys dentatus*). *Aquatic Toxicology* 54:101–112.