

---

## REFERENCES

---

- ALEXANDER, L. E. AND SOMMER, E. C.** (1959). Systematic analysis of carbon black structures. *Journal of Physical Chemistry*, **60**:1646-1649.
- ALONSO, M. J. G., BORREGO, A. G., ALVAREZ, D. AND MENENDEZ, R.** (1999). Pyrolysis behaviour of pulverised coals at different temperatures. *Fuel*, **78**: 1501-1513.
- ANDERSON, R. B., BAYER, J. AND HOFER, L. J. E.** (1965). Determining surface areas from CO<sub>2</sub> isotherms. *Fuel*, **44**: 443-452.
- ARENILLAS, A., RUBIERA, F., PEVIDA, C., ANIA, C. O. AND PIS, J. J.** (2004). Relationship between structure and reactivity of carbonaceous materials. *Journal of Thermal Analysis and Calorimetry*, **76**: 593-602
- ASO, H., MATSUOKA, K., SHARMA, A. AND TOMITA, A.** (2004). Evaluation of size of graphene sheet in anthracite by a temperature-programmed oxidation method. *Energy & Fuels*, **18**:1309- 314.
- BAILEY, J. G., TATE, A., DIESSEL, C. F. K. AND WALL, T. F.** (1990). A char morphology system with applications to coal combustion. *Fuel*, **69**: 225-239.
- BENFELL, K. E., LIU, G-S., ROBERTS, D. G., HARRIS, D.J., LUCAS, J. A., BAILEY, J. G. AND WALL, T. F.** (2000). Modelling char combustion: The influence of parent coal petrography and pyrolysis pressure on the structure and intrinsic reactivity of its chars. *Proceedings of the Combustion Institute*, **28**: 2233-2241.
- BHATIA, S.K., AND D. D. PERLMUTTER, D. D.** (1980). A random pore model for fluid-solid reactions: I. isothermal, kinetic control, *AIChE Journal*, **26**: 379-386.
- BHATIA, S.K., AND D. D. PERLMUTTER, D. D.** (1981). A random pore model for fluid-solid reactions: II. Diffusion and transport effects, *AIChE Journal*, **27**: 247-254.
- BLACKWOOD, J. D. AND INGEME, A, J.** (1960). The reaction of carbon with carbon dioxide at high pressure. *Australian Journal of Chemistry*, **13**: 194-209.

- BLANC, P., VALISOLALAO, J., ALBRECHT, P., KOHUT, J.P., MULLER, J.F., AND DUCHENE, J.M.** (1991). Comparative geochemical study of three maceral groups from a high-volatile bituminous coal. *Energy & Fuels*, **5**: 875–884.
- BOUHADDA, Y., BORMANN, D., SHEU, E., BENDEDOUCH, D., KRALLAFA, A. AND DAAOU, M.** (2007). Characterization of Algerian Hassi-Messaoud asphaltene structure using Raman spectrometry and X-ray diffraction. *Fuel*, **86**: 1855-1864.
- BUSKIES, U.** (1996). The efficiency of coal-fired combined-cycle power plants. *Applied Thermal Engineering*, **16**: 959-974.
- CAI, H-Y., GÜELL, A.J., CHATZAKIS, I.N., LIM, J-Y. AND DUGWELL, D.R. KANDIYOTI, R.** (1996). Combustion reactivity and morphological change in coal chars: Effect of pyrolysis temperature, heating rate and pressure. *Fuel*, **75**: 15-24.
- CAI, H-Y., MEGARITIS, A., MESSENBOCK, R., DIX, M., DUGWELL, D.R. AND KANDIYOTI, R.** (1998). Pyrolysis of coal maceral concentrates under pf combustion conditions I: Changes in volatile release and char combustibility as a function of rank. *Fuel*, **77**: 1273-1282.
- CAIRNCROSS, B.** (2001). An overview of the Permian (Karoo) coal deposits of Southern Africa. *African Earth Sciences*, **33**: 529-562.
- ÇAKAL, G.Ö., YÜCEL, H. AND GÜRÜZ, A.G.** (2007). Physical and chemical properties of selected Turkish lignites and their pyrolysis and gasification rates determined by thermogravimetric analysis. *J. Anal. Appl. Pyrolysis*, **80**: 262-268.
- CAMERON, M.A. AND HUNT, J.W.** (1985). A model for the statistical distribution of microlithotypes in coal. *Mathematical Geology*, **17**:267-285.
- CAMPBELL, P.E., McMULLAN, J.T. AND WILLIAMS, B.C.** (2000). Concept for a competitive coal fired integrated gasification combined cycle power plant. *Fuel*, **79**: 1031-1040.
- CARLSON, G.A.** (1992). Computer simulation of the molecular structure of bituminous coal. *Energy & Fuels*, **6**: 771-778.

- CHEN, J. C., CASTAGNOLI, C. AND NIKSA, S.** (1992). Coal devolatilization during rapid transient heating: II. Secondary pyrolysis. *Energy & Fuels*, **6**: 264–271.
- CHITSORA, C.T., MÜHLEN, H-J., VAN HEEK, K.H. AND JUNTGEN, H.** (1987). The Influence of Pyrolysis Conditions on the Reactivity of Char in  $H_2O$ . *Fuel Processing Technology*, **15**: 17-29.
- CHOI, C. Y., MUNTEAN, J. V., THOMPSON, R. A., AND BOTTO, R. E.** (1989). Characterization of coal macerals using combined chemical and NMR spectroscopic methods. *Energy & Fuels*, **3**: 528–533.
- Claudius Peters technologies.** (2001). Pulverised fuel Injection: Technology you can trust. [http://www.claudiuspeters.com/\\_apps/dynamic/library/videos/309%20PCI.pdf](http://www.claudiuspeters.com/_apps/dynamic/library/videos/309%20PCI.pdf) (Accessed: 24-03-2009).
- CLOKE, M. AND LESTER, E.** (1994). Characterisation of coals for combustion using petrographic analysis: a review. *Fuel*, **73**: 315-320.
- CLOKE, M., WU, T., BARRANCO, R. AND LESTER, E.** (2003). Char characterisation and its application in a coal burnout model, *Fuel*, **82**: 1989-2000.
- CZECHOWSKI, F. AND KIDAWA, H.** (1991). Reactivity and susceptibility to porosity development of coal maceral chars on steam and carbon dioxide gasification *Fuel Processing Technology*, **29**: 57-73.
- DAVIS, K. A., HURT, R. H., YANG, N. Y. C. AND HEADLEY, T. J.** (1995). Evolution of char chemistry, crystallinity, and ultrafine structure during pulverized-coal combustion. *Combustion & Flame*, **100**:31-40.
- de LA PUENTE, G., FUENTE, E. AND PIS, J.J.** (2000). Reactivity of pyrolysis chars related to precursor coal chemistry. *J. Anal. Appl. Pyrol.* **53**: 81-93.
- de LA ROSA, L., PRUSKI, M., LANG, D., GERSTEIN, B. AND SOLOMON, P.** (1992). Characterization of the Argonne premium coals by using  $^1H$  and  $^{13}C$  NMR and FT-IR spectroscopies. *Energy & Fuels*, **6**: 460-468.
- DME Coal Statistics.** (2006). <http://www.dme.gov.za/energy/coal.stm> (Accessed: 23-03-2009).

**DME: DIGEST OF SOUTH AFRICAN ENERGY STATISTICS.** (2006). <http://www.dme.gov.za/pdfs/energy/planning/2006%20Digest.pdf> (Accessed: 23-03-2009).

**du Cann, V.M.** (2007). Test Report- PSA 2007-016, Petrographics SA, Pretoria, South Africa.

**du Cann, V.M.** (2008). Test Report- PSA 2008-040, Petrographics SA, Pretoria, South Africa.

**DUTTA, S., WEN, C.Y. AND BELT, R.J.** (1977). Reactivity of coal and char: I. In carbon dioxide atmosphere. *Ind. Eng. Chem. Proc. Des. Dev.*, **16**: 20-30.

**ERGUN, S AND TIENSUU, V. H.** (1959). Interpretation of the intensities of X-rays scattered by coals. *Fuel*, **38**: 64-78.

**ERGUN, S. AND MENTSER, M.** (1968). Reactions of Carbon with Carbon Dioxide and Steam. **In:** WALKER, P. L. Jr. (Editor), *Chemistry and physics of carbon, Volume 1*, Marcel Dekker, Inc., NY: 203-263.

**ERGUN, S.** (1968). Structure of carbon. *Carbon*, **6**: 141-159.

**ESKOM ANNUAL REPORT**, (2008). [http://www.eskom.co.za/annreport08/ar\\_2008/downloads.htm](http://www.eskom.co.za/annreport08/ar_2008/downloads.htm). (Accessed: 21-03-2009)

**ESKOM FACT SHEET.** (2007). Medupi power station. [http://www.eskom.co.za/content/CO\\_0013MedupiPSRev0.pdf](http://www.eskom.co.za/content/CO_0013MedupiPSRev0.pdf). Pp: 1-6 (Accessed: 31-03-2009)

**ESSENHIGH, R. H.** (1981) Fundamentals of coal combustion. **In:** ELLIOTT, M. A. (Editor), *Chemistry of coal utilisation, 2<sup>nd</sup> Supplementary Volume*, John Wiley and Sons, New York: 1153-1311.

**ESSENHIGH, R. H.** (1991). Rate equations for the carbon-oxygen reaction: an evaluation of the Langmuir adsorption isotherm at atmospheric pressure. *Energy & Fuels*, **5**: 41-46.

- EVERSON, R.C., NEOMAGUS, H.W.J.P., KAITANO, R., FALCON, R. AND du CANN, V. M. (2008a).** Properties of high ash coal-char particles derived from inertinite-rich coal: II. Gasification kinetics with carbon dioxide. *Fuel*, **87**: 3403-3408.
- EVERSON, R.C., NEOMAGUS, H.W.J.P., KAITANO, R., FALCON, R., van ALPHEN C. AND du CANN, V. M. (2008b).** Properties of high ash coal-char particles derived from inertinite-rich coal: I. Chemical, structural and petrographic characteristics. *Fuel*, **87**: 3082-3090.
- EVERSON, R.C., NEOMAGUS, H.W.J.P., KASAINI, H. AND NJAPHA, D. (2006).** Reaction kinetics of pulverised coal-chars derived from inertinite-rich coal discards: Gasification with carbon dioxide and steam. *Fuel*, **85**:1076-1082.
- FALCON, R.M.S. (1989).** Macro- and micro-factors affecting coal-seam quality and distribution in Southern Africa with particular reference to the No. 2 seam, Witbank coalfield, South Africa. *International Journal of Coal Geology*, **12**: 681-731.
- FALCON, R.M.S. AND SNYMAN, C.P. (1986).** An introduction to coal petrography: atlas of petrographic constituents in the bituminous coals of Southern Africa. The Geological Society of South Africa, Johannesburg: Pp 1-27.
- FALCON, R.M.S., VAINIKKA, P., van ALPHEN, C. AND du CANN, V.M. (2010).** Case study of four South African high-ash power station coals in a CFBC boiler. Presentation at the FFF 15TH Coal Science and Technology Conference, Johannesburg. 17-18 November, 2010.
- FENG, B. AND BHATIA, S.K. (2002).** On the validity of thermogravimetric determination of carbon gasification kinetics. *Chemical Engineering Science*, **57**: 2907-2920.
- FENG, B., BHATIA, S.K. AND BARRY, J.C. (2003).** Variation of the crystalline structure of coal char during gasification. *Energy & Fuels*, **17**: 744-754.
- FLETCHER, T. H. (1993).** Swelling properties of coal chars during rapid pyrolysis and combustion. *Fuel*, **72**: 1485-1495.

- FRANKLIN, R.E.** (1950). The interpretation of diffuse X-ray diagrams of carbon. *Acta Crystallographica.*, **3**: 107-121.
- FRANKLIN, R.E.** (1951). The structure of graphitic carbons. *Acta Crystallographica*, **4**: 253-261.
- FRIESEN, W.I. AND OGUNSOLA O.I.** (1995). Mercury porosimetry of upgraded western Canadian coals. *Fuel*, **74**:604-609.
- FU, W-B. AND WANG, Q-H.** (2001). A general relationship between the kinetic parameters for the gasification of coal chars with CO<sub>2</sub> and coal type. *Fuel Processing Technology*, **72**: 63-77.
- GALE, T. K., BARTHOLOMEW, C. H. AND FLETCHER, T. H.** (1996). Effects of pyrolysis heating rates on intrinsic reactivities of coal chars. *Energy & Fuels*, **10**: 766-775.
- GAN, H., NANDI, P.S. AND WALKER, P. L. Jr.** (1972). Nature of the porosity in American coals. *Fuel*, **51**: 272-277.
- GARRIDO, J., LINARES-SOLANO, A., MARTÍN-MARTÍNEZ, J.M., MOLINA-SABIO, M., RODRÍGUEZ-REINOSO, F. AND TORREGROSA, R.** (1987). Use of N<sub>2</sub> vs. CO<sub>2</sub> in characterisation of activated carbons, *Langmuir* **3**: 76-81.
- GAVALAS, G. R.** (1980). A random capillary model with application to char gasification at chemically controlled rates. *AIChE Journal*, **26**: 577-585.
- GIVEN, P.H.** (1960). The distribution of hydrogen in coals and its relations to coal structure. *Fuel*, **39**: 147-153.
- GRAINGER, L. AND GIBSON, J.** (1981). *Coal Utilisation: Technology, Economics & Policy*. Graham & Trotman. London: 31-36.
- GTC,** (2008). Gasification: Redefining clean energy. [http://www.gasification.org/Docs/Final\\_whitepaper.pdf](http://www.gasification.org/Docs/Final_whitepaper.pdf). (Accessed: 21-03-2009).
- GUPTA, R.** (2007). Advanced coal characterisation: A review. *Energy & Fuels*, **21**: 451-460.

- HAMPARTSOUMIAN, E., MURDOCH, P. L., POURKASHANIAN, M. AND TRANGMAR, D. T.** (1993). The reactivity of coal chars gasified in a carbon dioxide environment. *Combustion Science and Technology*, **92**: 105-121.
- HANNA, J. V., VASSALLO, A. M. AND WILSON, M. A.** (1992) CRAMPS determined proton aromaticities of Australian coals: A comparison with dipolar dephasing. *Energy & Fuels*, **6**: 28-34.
- HARRIS, D.J., AND SMITH, I.W.** (1990). Intrinsic reactivity of petroleum coke and brown coal char to carbon dioxide, steam and oxygen. *Symposium (International) on Combustion*, **23**: 1185-1190.
- HASHIMOTO, K., MIURA, K., YOSHIKAWA, F. AND IMAI, I.** (1979). Change in pore structure of carbonaceous materials during activation and adsorption performance of activated carbon. *Ind. Eng. Chem., Proc. Des. & Dev.*, **18**: 72-80.
- HATCHER, P. G.** (1988) Dipolar-dephasing <sup>13</sup>C NMR studies of decomposed wood and coalified xylem tissue: evidence for chemical structural changes associated with defunctionalization of lignin structural units during coalification. *Energy & Fuels*, **2**: 48-58.
- HATTINGH, B.** (2009). The determination of the reaction mechanisms involved in the CO<sub>2</sub> gasification of inertinite-rich, high ash coal. M.Eng dissertation, North-West University, Potchefstroom Campus.
- HELLE, S., GORDON, A., ALFARO, G., GARCIA, X. AND ULLOA, C.** (2003). Coal blend combustion: link between unburnt carbon in fly ashes and maceral composition. *Fuel Processing Technology*, **80**: 209-233.
- HINDMARSH, C. J., THOMAS, K. M., WANG, W. X., CAI, H-Y., GÜELL, A. J. DUGWELL, D. R. AND KANDIYOTI, R.** (1995). A comparison of the pyrolysis of coal in wire-mesh and entrained-flow reactors. *Fuel*, **74**: 1185-1190.
- HIRSCH, P. B.** (1954). X-ray scattering from coals. *Proc. of the Royal Society - A*, **226**: 143-169.

- HORVATH, G. AND KAWAZOE, K.** (1983). Method for the calculation of effective pore size distribution in molecular sieve carbon. *Journal of Chemical Engineering of Japan*, **16**: 470-475.
- HU, H., ZHOU, Q., ZHU, S., MEYER, B., KRZACK, S. AND CHEN, G.** (2004). Product distribution and sulphur behaviour in coal pyrolysis. *Fuel Processing Technology*, **85**: 849-861.
- HUANG, Y.H., YAMASHITA, H. AND TOMITA, A.** (1991). Gasification reactivities of coal macerals. *Fuel Processing Technology*, **29**: 75-84.
- HUBBELL, J.H. AND SELTZER, S.M.** (1996). Tables of x-ray mass attenuation coefficients and mass energy-absorption coefficients. NIST IR 5632. Ionizing Radiation Division, Physics Laboratory, NIST. (<http://www.nist.gov/physlab/data/xraycoef/index.cfm>). Pg: 1-21 Accessed: 24-05-2010.
- HÜTTINGER, K. J.** (1990). A method for the determination of active sites and true activation energies in carbon gasification: I. Theoretical treatment. *Carbon*, **28**: 453-456.
- HÜTTINGER, K.J. AND NATTERMANN C.** (1994). Correlations between coal reactivity and inorganic matter content for pressure gasification with steam and carbon dioxide. *Fuel*, **73**: 1682-1684.
- HÜTTINGER, K.J. AND NILL, J.S.** (1990). A method for the determination of active sites and true activation energies in carbon gasification: II. Experimental results. *Carbon*, **28**: 457-465.
- JARONIEC, M., GADKAREE, K.P. AND CHOMA, J.** (1996). Relation between adsorption potential distribution and pore volume distribution for microporous carbons. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **111**: 203-210.
- JENKINS, R. G., NANDI, S. P. AND WALKER, P. L., Jr.** (1973). Reactivity of heat-treated coals in air at 500°C. *Fuel*, **52**: 288-293.



- JONES, J.M., POURKASHANIAN, M., RENA, C.D. AND WILLIAMS, A. (1999).** Modelling the relationship of coal structure to char porosity. *Fuel*, **78**: 1737-1744.
- JONES, R.B., McCOURT, C.B., MORLEY, C. AND KING, K. (1985).** Maceral and rank influences on the morphology of coal char. *Fuel*, **64**: 1460-1467.
- JÜNTGEN, H. (1981).** Reactivities of carbon to steam and hydrogen and applications to technical gasification processes- A review. *Carbon*, **19**: 167-173.
- JÜNTGEN, H., KLEIN, J., KNOBLAUCH, K., SCHRÖTER, H-J. AND SCHULZE, J. (1981)** Conversion of coal and gases produced from coal into fuels, chemicals and other products. **In:** ELLIOTT, M. A. (Editor), *Chemistry of coal utilisation, 2<sup>nd</sup> Supplementary Volume*, John Wiley and Sons, New York: 2071-2158.
- KABE, T., ISHIHARA, A., QIAN, E. W., SUTRISNA, I.P. AND KABE, Y. (2004).** Coal and coal-related compounds: structures, reactivity and catalytic reactions. *Studies in surface science and catalysis series, Volume 150*. Elsevier, Amsterdam: 1-112; 269-309.
- KAITANO, R. (2007).** Characterisation and reaction Kinetics of high ash chars derived from inertinite-rich coal discards. Doctoral thesis. North-West University. South Africa.
- KAJITANI, S., SUZUKI, N., ASHIZAWA, M. AND HARA, S. (2006)** CO<sub>2</sub> gasification rate analysis of coal char in entrained flow coal gasifier. *Fuel*, **85**: 163-169.
- KASHIWAYA, Y. AND ISHII, K. (1991).** Kinetic analysis of coke gasification based on non-crystal/crystal ratio of carbon. *ISIJ International*, **31**: 440-448.
- KAWAKAMI, M., KANBA, H., SATO, K., TAKENAKA, T., GUPTA, S., CHANDRATILLEKE, R. AND SAHAJWALLA, V. (2006).** Characterisation of thermal annealing effects on the evolution of coke carbon structure using Raman spectroscopy and X-ray diffraction. *ISIJ International*, **46**: 1165-1170.
- KAYEMBE, N. AND PULSIFER, A.H. (1976).** Kinetics and catalysis of coal char and steam. *Fuel*, **55**: 211-216.

- KEATON ENERGY.** (2009). About SA coalfields. (web) [http://www.keatonenergy.co.za/cm/sa\\_coal.asp](http://www.keatonenergy.co.za/cm/sa_coal.asp) (Accessed: 21-06-2009).
- KHAIRIL, KAMIHASHIRA, D., NAKAYAMA, K. AND NARUSE, I.** (2001). Fundamental Reaction Characteristics of Pulverized Coal at High Temperature. *ISIJ International*, **41**:136-141.
- KOORNNEEF, J., JUNGINGER, M. AND FAAIJ, A.** (2007). Development of fluidised bed combustion - An overview of trends, performance and cost. *Progress in Energy and combustion Science*, **33**: 19-55.
- KOWALCZYK, P., TERZYK, A.P., GAUDEN, P.A. AND SOLARZ, L.** (2002). Numerical analysis of Horvath-Kawazoe equation. *Computers and Chemistry*, **26**: 125-130.
- KRISTIENSEN, A.** (1996). Understanding coal gasification, IEACR/ 86. IEA Coal Research, London: 12-50.
- KRUSZEWSKA, K. J.** (2003). Fluorescing macerals in South African coals. *International Journal of Coal Geology*, **54**: 79-94.
- KÜHL, H., KASHANI-MOTLAGH, M. M., MÜHLEN, H-J. AND van HEEK, K. H.** (1992). Controlled gasification of different carbon materials and development of pore structure. *Fuel*, **71**: 879-882.
- KULASEKARAN, S., LINJEWILE, T. M., AGARWAL, P. K. AND BIGGS, M. J.** (1998) Combustion of a porous char particle in an incipiently fluidized bed. *Fuel*, **77**: 1549-1560.
- KUMAR, M. AND GUPTA, R. C.** (1995). Graphitization study of Indian Assam coking coal. *Fuel Processing Technology*, **43**: 169-176.
- KURODA, H. AND AKAMATU, H.** (1959). Studies on the graphitization II. Substructure and crystallite growth of carbon black. *Bulletin of the Chem. Soc. of Japan*, **32**: 142-149.

- KYOTANI, T., KUBOTA, K., CAO, J., YAMASHITA, H. AND TOMITA, A.** (1993) Combustion and CO<sub>2</sub> gasification of coals in a wide temperature range. *Fuel Processing Technology*, **36**: 209-217.
- KYOTANI, T., ZHANG, Z-G., HAYASHI, S. AND TOMITA, A.** (1988). TPD study on H<sub>2</sub>O-gasified and O<sub>2</sub>-chemisorbed coal chars. *Energy & Fuels*, **2**: 136-141.
- LAHAYE, J.** (1998). The Chemistry of Carbon Surfaces. *Fuel*, **77**: 543-547.
- LAINE, N. R., VASTOLA, F. J. AND WALKER, P. L. Jr.** (1963). The importance of active surface area in the carbon-oxygen reaction. *J. Phys. Chem.*, **67**: 2030-2034.
- LAURENDEAU, N.M.** (1978). Heterogeneous kinetics of coal char gasification and combustion. *Progress in Energy & Combustion Science*. **4**: 221-270.
- LEE, C. W., JENKINS, R. G. AND SCHOBERT, H. H.** (1992). Structure and Reactivity of Char from Elevated Pressure Pyrolysis of Illinois No. 6 Bituminous Coal. *Energy & Fuels*, **6**: 40-47.
- LEE, S.** (2007). Gasification of coal. **In:** LEE, S., SPEIGHT, J.G. AND LOYALKA, S. K. (Editors). *Handbook of alternative fuel technologies*. CRC Press, New York. Pp: 25-79.
- LEVENSPIEL, O.** (1972). Chemical reaction engineering. 2<sup>nd</sup> Edition, Wiley Eastern Ltd. New Delhi, India. Pp: 357-408.
- LITTLEWOOD, K.** (1977). Gasification: Theory and application. *Progress in Energy & Combustion Science*. **3**: 35-71.
- LIU, G., BENYON, P., BENFELL, K. E., BRYANT, G. W., TATE, A. G., BOYD, R. K., HARRIS, D. J. AND WALL, T. F.** (2000). The porous structure of bituminous coal chars and its influence on combustion and gasification under chemically controlled conditions. *Fuel*, **79**: 617-626.
- LIZZIO, A. A., JUANG, H. AND RADOVIC, L. R.** (1990). On the Kinetics of Carbon (Char) Gasification: Reconciling Models with Experiments. *Carbon*, **28**: 7-19.

- LOUBSER, M. AND VERRY, S.** (2008). Combining XRF and XRD analyses and sample preparation to solve mineralogical problems. *South African Journal of Geology*, **111**: 229-238.
- LOVE, G.D., LAW, R.V. AND SNAPE, C.E.** (1993). Determination of non-protonated aromatic carbon concentrations in coals by single pulse excitation  $^{13}\text{C}$  NMR. *Energy & Fuels*, **7**: 639-644.
- LU, L., KONG, C., SAHAJWALLA, V. AND HARRIS, D.** (2002a). Char structural ordering during pyrolysis and combustion and its influence on char reactivity. *Fuel*, **81**: 1215-1225.
- LU, L., SAHAJWALLA, V. KONG, C. AND MCLEAN, A.** (2002b). Char structural ordering during pyrolysis and combustion and its influence on char reactivity. *ISIJ International*, **42**: 816-825.
- LU, L., SAHAJWALLA, V., KONG, C. AND HARRIS, D.** (2001). Quantitative X-ray diffraction analysis and its application to various coals. *Carbon*, **39**: 1821-1833.
- MAITY, S. AND MUKHERJEE, P.** (2006). X-ray structural parameters of some Indian coals. *Current Science*, **91**: 337-340.
- MARBAN, G., PIS, J.J. AND FUERTES, A.B.** (1995). Characterising fuels for atmospheric fluidized bed combustion. *Combustion and Flame*, **103**:41-58.
- MAROTO-VALER, M.M., LOVE, G.D. AND SNAPE C.E.** (1994). Relationship between carbon aromaticities and H/C ratios for bituminous coals. *Fuel*, **73**: 1926-1928.
- MARSH, H.** (1989). Introduction to carbon science. Butterworth & Co. (Publishers) Ltd, London. Pp: 1-31, 107-145, 259-283.
- MASTALERZ, M. AND MARC BUSTIN, R.** (1993). Variation in elemental composition of macerals; an example of the application of electron microprobe to coal studies. *International Journal of Coal Geology*, **22**: 83-99.

- MATHEWS, J.P., HATCHER, P.G. AND SCARONI, A.W.** (2001). Proposed Model Structures for Upper Freeport and Lewiston-Stockton vitrinites. *Energy & Fuels*, **15**: 863-873.
- MATJIE, R.H.** (2008). Sintering and slagging of mineral matter in South African coals during the coal gasification process. PhD Thesis, University of Pretoria. (<http://www.upetd.up.ac.za/thesis/available/etd-11112008-125913/>, Accessed: 30-06-2010).
- MATSUI, I., KUNII, D. AND FURUSAWA, T.** (1987). Study of char gasification by carbon dioxide: I. Kinetic study by thermogravimetric analysis. *Ind. Eng. Chemistry Research*, **26**: 91-95.
- MEGARITIS, A., MESSENBÖCK, R. C., CHATZAKIS, I. N., DUGWELL, D. R. AND KANDIYOTI, R.** (1999). High-pressure pyrolysis and CO<sub>2</sub>-gasification of coal maceral concentrates: conversions and char combustion reactivities. *Fuel*, **78**: 871-882.
- MICROMERITICS INSTRUMENT CORPORATION.** 2006. Accelerated surface area and porosimetry system (ASAP2020), Operator's manual V3.01, Pg: C1-44.
- MIURA, K., HASHIMOTO, K. AND SILVESTON, P. L.** (1989). Factors affecting the reactivity of coal chars during gasification, and indices representing reactivity. *Fuel*, **68**: 1461-1474.
- MIURA, K., MAKINO, M. AND SILVESTON, P.L.** (1990). Correlation of gasification reactivities with char properties and pyrolysis conditions using low rank Canadian coals. *Fuel*, **69**: 580- 89.
- MÜHLEN, H-J. AND SULIMMA, A.** (1987). Thermogravimetric apparatus for characterisation of coal with regard to pyrolysis and gasification under pressures up to 100 bar. *Fuel Processing Technology*. **15**: 145-455.
- MÜHLEN, H-J., VAN HEEK, K. H. AND JÜNTGEN, H.** (1985). Kinetic studies of steam gasification of char in the presence of H<sub>2</sub>, CO<sub>2</sub> and CO. *Fuel*, **64**: 944-949.

- MURILLO, R., NAVARRO, M.V., LÓPEZ, J.M., GARCÍA, T., CALLÉN, M.S., AYLÓN, E. AND MASTRAL, A.M.** (2006). Activation of pyrolytic lignite char with CO<sub>2</sub>- kinetic study. *Energy & Fuels*, **20**: 11-16.
- MURILLO, R., NAVARRO, M.V., LÓPEZ, J.M., GARCÍA, T., CALLÉN, M.S., AYLÓN, E. AND MASTRAL, A.M.** (2004). Kinetic model comparison for waste tire char reaction with CO<sub>2</sub>. *Ind. Eng. Chem. Res.*, **43**: 7768-7773.
- NARKIEWICZ, M. R. AND MATHEWS, P.J.** (2008). Improved low-volatile bituminous coal representation: Incorporating the molecular-weight distribution. *Energy & Fuels*, **22**: 3104–3111.
- NG, S.H., FUNG, D.P.C. AND KIM, S.D.** (1988). Study of the pore structure and reactivity of Canadian coal-derived chars. *Fuel*, **67**: 700-706.
- NSAKALA, N. Y., ESSENHIGH, R.H AND WALKER, P. L. Jr.** (1978). Characteristics of chars produced from lignites by pyrolysis at 808 °C following rapid heating. *Fuel*, **57**: 605-611.
- OCHOA, J., CASSANELLO, M. C., BONELLI, P. R. AND CUKIERMAN, A. L.** (2001). CO<sub>2</sub> gasification of Argentinean coal chars: a kinetic characterization. *Fuel Processing Technology*, **74**: 161-176.
- OSBORNE, D.G., GRAHAM, J.M. AND ELLIOT, L.K.** (1996). New coal utilisation technologies. *Minerals Engineering*, **9**: 215-233.
- OUAZZANE, A. K., CASTAGNER, J. L., A.R. JONES, A. R. AND ELLAH, S.** (2002). Design of an optical instrument to measure the carbon content of fly ash. *Fuel*, **81**: 1907-1911.
- PALMER, A. D., CHENG, M., GOULET, J. C. AND FURIMSKY, E.** (1990). Relation between particle size and properties of some bituminous coals. *Fuel*, **69**: 183-188.
- PATNAIK, P.** (2008). *Dean's Analytical Chemistry Handbook, 2<sup>nd</sup> Edition*. [http://www.accessengineeringlibrary.com/mghpdf/0071455981\\_ar015.pdf](http://www.accessengineeringlibrary.com/mghpdf/0071455981_ar015.pdf). The McGraw-Hill Companies: Section 15: 1-18 (Accessed: 21-03-2009).

- PHIRI, Z.** (2010). Nitric oxide reduction by chars derived from high ash inertinite-rich discard coals. M.Sc dissertation, North-West University, Potchefstroom Campus.
- PODOLSKI, W. F., DAVID K. SCHMALZER, D. K., CONRAD, V., et al.,** (2008). Energy Resources, Conversion, and Utilization. In: Green, D. W., *Editor*, Perry's Chemical Engineers' Handbook, 8<sup>th</sup> Edition. Downloaded from Digital Engineering Library @ McGraw-Hill. <http://www.nwu.ac.za/opencms/export/system/galleries/externallinks/nwu-bib/digitalengineeringlibrary>. Chapter 24: 9-31 (Accessed: 2-04-2009).
- PUGMIRE, R.J., SOLUM, M.S., GRANT, D.M., CRITCHFIELD, S. AND FLETCHER, T.H.** (1991). Structural evolution of matched tar-char pairs in rapid pyrolysis experiments. *Fuel*, **70**: 414-423.
- Quantachrome Instruments.** (2009). Stereopycnometer operating manual (Part No.: 05006 Rev D SPY-D160-E. Pp 1-14.
- RADOVIC, L. R., STECZKO, K., WALKER, P. L. Jr. AND JENKINS, R. G.** (1985). Combined effects of inorganic constituents and pyrolysis conditions on the gasification reactivity of coal chars. *Fuel Processing Technology*. **10**: 311-326.
- RADOVIC, L. R., WALKER, P. L. Jr. AND JENKINS, R. G.** (1983). Importance of carbon active sites in the gasification of coal chars. *Fuel*, **62**: 849-856.
- ROUZAUD, J-N.** (1990). Contribution of transmission electron microscopy to the study of the coal carbonization processes. *Fuel Processing Technology*, **24**: 55-69.
- ROUZAUD, J-N., VOGT, D. AND OBERLIN, A.** (1988). Coke properties and their microtexture. Part I: Microtextural analysis: a guide for cokemaking. *Fuel Processing Technology*, **20**: 143-154.
- RUSSELL, N. V., GIBBINS, J. R. AND WILLIAMSON, J.** (1999). Structural ordering in high temperature coal chars and the effect on reactivity. *Fuel*, **78**: 803-807.
- SAKAWA, M., SAKURAI, Y. AND HARA, Y.** (1982). Influence of coal characteristics on CO<sub>2</sub> gasification. *Fuel*, **61**:717-720.

- SAMARAS, P., DIAMADOPOULOS, E. AND SAKELLAROPOULOS, G.P.** (1996). The effect of mineral matter and pyrolysis conditions on the gasification of Greek lignite by carbon dioxide. *Fuel*, **75**: 1108-1114.
- SANGTONG-NGAM, K. AND NARASINGHA, M.H.** (2008). Kinetic study of Thai-lignite char gasification using random pore model. *Thammasat International Journal of Science & Technology*, **13**: 16-26.
- SCHOENING, F.R.L.** (1982). X-ray structural parameter of coal. *Fuel*, **61**: 695- 699.
- SCHOENING, F.R.L.** (1983). X-ray structure of some South African coals before and after heat treatment at 500 and 1000 °C. *Fuel*, **62**: 1315- 1320.
- SENNECA, O., SALATINO, P. AND MASI, S.** (1998). Microstructural changes and loss of gasification reactivity of chars upon heat treatment. *Fuel*, **77**: 1483-1493.
- SHA, X-Z., CHEN, Y-G., CAO, J., YANG, Y-M. AND REN, D-Q.** (1990a). Effects of operating pressure on coal gasification. *Fuel*, **69**: 656-659.
- SHA, X-Z., KYOTANI, T. AND TOMITA, A.** (1990b). Rate retardation phenomenon during gasification of Wandoan coal char. *Fuel*, **69**: 1564-1567.
- SHARMA, A., KADOOKA, H., KYOTANI, T. AND TOMITA, A.** (2002). Effect of microstructural changes on gasification reactivity of coal chars during low temperature gasification. *Energy & Fuels*, **16**: 54-61.
- SHARMA, A., KYOTANI, T. AND TOMITA, A.** (1999). A new quantitative approach for microstructural analysis of coal char using HRTEM images. *Fuel*, **78**: 1203-1212.
- SHIM, H-S. AND HURT, R.H.** (2000). Thermal annealing of chars from diverse organic precursors under combustion-like conditions. *Energy & Fuels*, **14**: 340-348.
- SHINN, J. H.** (1984). From coal to single-stage and two-stage products: a reactive model of coal structure. *Fuel*, **63**: 1187-1196.
- SHIRAISHI, M. AND KOBAYASHI, K.** (1973). An X-ray study of coal tar pitch. *Bulletin of the Chemical Society of Japan*. **46**: 2575-2578.



- SHORT**, M.A. AND **WALKER P.L. Jr.** (1963). Measurement of the interlayer spacing and crystal sizes in turbostratic carbons. *Carbon*, **1**: 3-9.
- SINAČ**, A., **SINEK**, K., **TEKEŞ**, A.T., **MISIRLIOĞLU**, Z., **CANEL**, M. AND **WANG**, L. (2003). Study on  $CO_2$  gasification reactivity of chars obtained from Soma-Isıklar lignite (Turkey) at various coking temperatures. *Chemical Engineering and Processing*, **42**: 1027-1031.
- SMITH**, I.W. (1978). The intrinsic reactivity of carbons to oxygen. *Fuel*, **57**: 409-414.
- SMITH**, I.W., **HARRIS**, D.J., **VALIX**, M.G. AND **TRIM**, D.L. (1991). Mass Transport and carbon reactivity at high temperature. **In**: LAHAYE, J. AND EHRBURGER P. (Editors), Fundamental issues in control of carbon gasification reactivity. NATO ASI Series, Vol. 192. Kluwer Academic Publishers, The Netherlands. Pp: 49-77.
- SMITH**, W. H., **ROUX**, H. J. AND **STEYN**, J. G. H. (1983). The classification of coal macerals and their relation to certain chemical parameters of coal. *Special publication of the Geological Society of South Africa*. **7**: 111-115.
- SNYMAN**, C.P. (1989). The role of coal petrography in understanding the properties of South African coal. *International Journal of Coal Geology*, **14**: 83-101.
- SNYMAN**, C.P. AND **BOTHA**, J.W. (1993). Coal in South Africa. *Journal of African Earth Sciences*, **16**: 171-180.
- SOLUM**, M.S., **PUGMIRE**, R.J. AND **GRANT**, D.M. (1989).  $^{13}C$  Solid-state NMR of Argonne-premium coals. *Energy & Fuels*, **3**: 187-193.
- SPALDING-FECHER**, R., **WILLIAMS**, A. AND **van HERON**, C. (2000). Energy and environment in South Africa: charting a course to sustainability. *Energy for Sustainable Development*, **4**: 8-17.
- SPEARS**, D. A. (2000). Role of clay minerals in UK coal combustion. *Applied Clay Science*, **16**: 87-95.

- STEEL, K.M. AND PATRICK, J. W.** (2001). The production of ultra clean coal by chemical demineralisation. *Fuel*, **80**: 2019-2023.
- STRUGALA, A.** (1994). Empirical formulae for calculation of real density and total pore volume of hard coals. *Fuel*, **73**: 1781-1785.
- STYSZKO-GROCHOWIAK, K., GOŁAŚ, J., JANKOWSKI, H. AND KOZIŃSKI, S.** (2004). Characterization of the coal fly ash for the purpose of improvement of industrial on-line measurement of unburned carbon content. *Fuel*, **83**: 1847-1853.
- SU, S., POHL, J.H., HOLCOMBE, D. AND HART, J.A.** (2001). A proposed maceral index to predict combustion behaviour of coal. *Fuel*, **80**: 699-706.
- SUN, Q., LI, W., CHEN, H. AND LI, B.** (2004). The CO<sub>2</sub>-gasification and kinetics of Shenmu maceral chars with and without catalyst *Fuel*, **83**: 1787-1793.
- TAKAGI, H., MARUYAMA, K., YOSHIZAWA, N., YAMADA, Y. AND SATO, Y.** (2004). XRD analysis of carbon stacking structure in coal during heat treatment. *Fuel*, **83**: 2427-2433.
- TAMARI, T. AND AGUILAR-CHÁVEZ, A.** (2004). Optimum design of the variable-volume gas pycnometer for determining the volume of solid particles. *Measurement Science Technology*, **15**: 1146–1152.
- TAULBEE, D., POE, S.H., ROBL, T. AND KEOGH, B.** (1989). Density gradient centrifugation separation and characterisation of maceral groups from a mixed maceral bituminous coal. *Energy & Fuels*, **3**: 662-670.
- THOMAS, J.M. AND THOMAS, W.J.** (1967). Introduction to the principles of heterogeneous catalysis. Academy Press, London. Pp: 365-450.
- TOMITA, A.** (2001). Catalysis of carbon-gas reactions. *Catalysis Surveys from Japan*, **5**: 17-24.
- TREJO, F., ANCHEYTA, J., MORGAN, T.J., HEROD, A.A. AND KANDIYOTI, R.** (2007). Characterization of asphaltenes from hydrotreated products by SEC, LDMS, MALDI, NMR, and XRD. *Energy & Fuels*, **21**:2121-2128.

**TSAI, C-Y AND SCARONI, A.W.** (1987). The structural changes of bituminous coal particles during the initial stages of pulverized-coal combustion. *Fuel*, **66**: 200-206.

**TSAI, S.C.** (1982). Coal science and technology 2: Fundamentals of coal beneficiation and utilization. Amsterdam: Elsevier Scientific Publishing Company. Pp : 375.

**TURKDOGAN, E.T. AND VINTERS, J.V.** (1969). kinetics of oxidation of graphite and charcoal in carbon dioxide. *Carbon*, **7**: 101-117.

**UNFCC Website.** [http://unfccc.int/kyoto\\_protocol/mechanisms/clean\\_development\\_mechanism/items/2718.php](http://unfccc.int/kyoto_protocol/mechanisms/clean_development_mechanism/items/2718.php) (Accessed: 31-03-2009).

**van ALPHEN, C.** (2009). Advanced coal and ash analysis. Oral presentation to Coal Research Group, School of Chemical & Minerals Engineering, NWU. 15<sup>th</sup> July, 2009.

**van de VENTER, E.** (2005). Sasol-Lurgi coal gasification technology and low rank coal. *Presentation to the Gasification Technologies Council Conference*, 10-12<sup>th</sup> Oct. 2005, San Francisco.

**van HEEK, K.H. AND MÜHLEN, H-J.** (1985). Aspects of coal properties and constitution important for gasification. *Fuel*, **64**: 1405-1414.

**van HEEK, K.H. AND MÜHLEN, H-J.** (1987). Effect of Coal and Char Properties on Gasification. *Fuel Processing Technology*, **15**: 113-133.

**van KREVELEN, D.W.** (1981). Coal: Typology - Physics, Chemistry, Constitution. Coal Science and Technology Series, Volume 3. ANDERSON, L. L. (Editor), Elsevier, Amsterdam. Pp: 58-88, 111-126, 160-174, 309-341.

**VAN NIEKERK, D.** (2008). Structural elucidation, molecular representation and solvent interactions of vitrinite-rich and inertinite-rich South African coals. Doctoral dissertation. Penn State University, U.S.A.

**VASSALLO, A.M., HANNA, J.V., WILSON, M.A. AND LOCKHART, C.** (1991). High-resolution solid-state proton NMR spectroscopy of density fractions from Callide coal. *Energy & Fuels*, **5**: 643-647.

- WALKER, P.L. Jr. AND HIPPO, E.J.** (1975). Factors affecting reactivity of coal chars. *Am. Chem. Soc. Div. Fuel Chem. Prepr.*, **20**: 45-51.
- WALKER, P.L. Jr. AND KINI, K.A.** (1965). Measurement of the ultrafine surface area of coals. *Fuel*, **44**: 453-459.
- WALKER, P.L. Jr. VERMA, S.K., UTRILLA, J.R. & DAVIS, A.** (1988). Densities, porosities and surface areas of coal macerals as measured by their interaction with gases, vapours and liquids. *Fuel*, **67**:1615-1623.
- WALKER, P.L. Jr., SHELEF, M. AND ANDERSON, R.A.** (1968) Catalysis of carbon gasification. **In:** WALKER, P.L. Jr. (Editor), *Chemistry and Physics of Carbon Volume 1*, Marcel Dekker Inc. New York. Pp: 287-383.
- WARREN, B. E.** (1941). X-ray diffraction in random layer lattices. *Physical Review*, **59**: 693-698.
- WATKINSON, A.P., LUCAS, J.P. AND LIM, C.J.** (1991). A prediction of performance of commercial gasifiers. *Fuel*, **70**: 519-527.
- WCI COAL STATISTICS.** (2007) World Coal Institute. <http://www.worldcoal.org/resources/coal-statistics/index.php>. (Accessed: 23-03-2009).
- WCI ECOAL.** (2003). WCI Ecoal, Volume 45, March, 2003 <http://www.worldcoal.org/resources/ecoal/ecoal---back-issues/>. *The Quarterly Newsletter of the World Coal Institute*. (Accessed: 23-03-2009).
- WEB MINERAL DATA.** (2009). <http://webmineral.com/data>. (Accessed: 4-08-2010).
- WEBB, P. A.** (2001). Volume and density determination for particle technologist. Micromeritics Instrument Corp., Norcross, Georgia, USA. <http://www.micromeritics.com/Repository/files/density-determination.pdf>. (Accessed 22-08-2010).
- WIGLEY, F., WILLIAMSON, J., AND GIBB, W.H.** (1997). The distribution of mineral matter in pulverised coal particles in relation to burnout behaviour. *Fuel*, **76**: 1283-1288.

- WU, H., BRYANT, G., BENFELL, K. AND WALL, T. (2000). An Experimental Study on the Effect of System Pressure on Char Structure of an Australian Bituminous Coal. *Energy & Fuels*, **14**: 282-290.
- WU, S., GU, J., ZHANG, X., WU Y. AND GAO, J. (2008). Variation of Carbon Crystalline Structures and CO<sub>2</sub> Gasification reactivity of Shenfu coal chars at elevated temperatures. *Energy & Fuels*, **22**: 199-206.
- YE, D.P., AGNEW, J.B. AND ZHANG, D.K. (1998). Gasification of a South Australian low rank coal with carbon dioxide and steam- kinetics and reactivity studies. *Fuel*, **77**: 1209-1219.
- YU, J-L., LUCAS J., WALL, T., LIU, G., AND SHENG, C. (2004). Modelling the development of char structure during rapid heating of pulverised coal. *Combustion and Flame*, **136**: 519-532.
- ZHANG, J-W., ZONG, Z-M., WANG, T-X., XIE, R-L., DING, M-J., CAI, K-Y., HUANG, Y-G., GAO J-S., WU, Y-Q. AND WEI, X-Y. (2007). Reactivities of Shenfu chars towards gasification with carbon dioxide. *Journal of China University of Mining & Technology*, **17**: 197-200.
- ZHANG, L. AND CALO, J.M. (1996). The effect of CO<sub>2</sub> partial pressure on gasification reactivity. *Am. Chem. Soc., Div. Fuel Chem. Prep.* **41**:138-142.
- ZHANG, L., HUANG, J., FANG, Y. AND WANG, Y. (2006). Gasification Reactivity and Kinetics of Typical Chinese Anthracite Chars with Steam and CO<sub>2</sub>. *Energy & Fuels*, **20**: 1201-1210.
- ZHANG, Y., HARA, S., KAJITANI, S. AND ASHIZAWA, M. (2010) Modelling of catalytic gasification kinetics of coal char and carbon. *Fuel*, **89**: 152-157.