

Bibliography

- Aharonian, F., A. Bykov, E. Parizot, V. S. Ptuskin, and A. Watson, Cosmic rays in galactic and extragalactic magnetic fields, *Space Sci. Rev.*, 166, 97–132, 2012.
- Ahluwalia, H. S., and C. Lopate, Response of IMP 8 penetrating proton channel to galactic cosmic ray modulation, in *Proceedings of the 30-th International Cosmic Ray Conference (Mexico City)*, vol. 1, pp. 331–334, 2007.
- Ahluwalia, H. S., and R. C. Ygbuhay, Preliminary forecast for the peak of solar activity cycle 24, *Adv. Space Res.*, 44, 611–614, 2009.
- Arlt, R., The butterfly diagram in the eighteenth century, *Solar Physics*, 255, 143–153, 2009.
- Aschwanden, M., *Physics of the solar corona: An introduction with problems and solutions*, Springer Praxis Books, 2005.
- Ashbourn, J. M., and L. C. Woods, Accelerating the solar wind, *Astrophys. J.*, 623, 511–518, 2005.
- Axford, W. I., The acceleration of galactic cosmic rays, in *Origin of Cosmic Rays, IAU Symposium*, vol. 94, edited by G. Setti, G. Spada, and A. W. Wolfendale, pp. 339–358, 1981.
- Babcock, H. W., The topology of the Sun’s magnetic field and the 22-year cycle, *Astrophys. J.*, 133, 572–587, 1961.
- Balogh, A., and G. Erdos, The heliospheric magnetic field, *Space Sci. Rev. Online*, pp. 1–39, 2011.
- Balogh, A., and E. J. Smith, The heliospheric magnetic field at solar maximum: Ulysses observations, *Space Sci. Rev.*, 97, 147–160, 2001.
- Balogh, A., E. J. Smith, B. T. Tsurutani, D. J. Southwood, R. J. Forsyth, and T. S. Horbury, The heliospheric magnetic field over the south polar region of the Sun, *Science*, 268, 1007–1010, 1995.
- Balogh, A., L. J. Lanzerotti, and S. T. Suess, *The heliosphere through the solar activity cycle*, Springer-Praxis Books and Springer Science+Business Media, 2008.
- Baranov, V. B., Possible physical properties of the flow in the vicinity of the heliopause, *Adv. Space Res.*, 44, 471–477, 2009.
- Bartusiak, M., Sounds of the Sun, *American Scientist*, 82, 61–68, 1994.

- Baumann, I., and S. K. Solanki, On the size distribution of sunspot groups in the Greenwich sunspot record 1874–1976, *Astron. Astrophys.*, 443, 1061–1066, 2005.
- Behannon, K. W., M. H. Acuña, L. F. Burlaga, R. P. Lepping, N. F. Ness, and F. M. Neubauer, Magnetic field experiment for Voyagers 1 and 2, *Space Sci. Rev.*, 21, 235–257, 1977.
- Bell, A. R., The acceleration of cosmic rays in shock fronts - I, *Mon. Not. R. astr. Soc.*, 182, 147–156, 1978a.
- Bell, A. R., The acceleration of cosmic rays in shock fronts - II, *Mon. Not. R. astr. Soc.*, 182, 443–455, 1978b.
- Bieber, J. W., and W. H. Matthaeus, Cosmic ray pitch angle scattering in dynamical magnetic turbulence, in *Proceedings of the 22nd International Cosmic Ray Conference (Dublin)*, vol. 3, pp. 248–251, 1991.
- Bieber, J. W., W. H. Matthaeus, C. W. Smith, W. Wanner, M.-B. Kallenrode, and G. Wibberenz, Proton and electron mean free paths: The Palmer consensus revisited, *Astrophys. J.*, 420, 294–306, 1994.
- Bieber, J. W., W. Wanner, and W. H. Matthaeus, Dominant two-dimensional solar wind turbulence with implications for cosmic ray transport, *J. Geophys. Res.*, 101(A2), 2511–2522, 1996.
- Bieber, J. W., W. H. Matthaeus, A. Shalchi, and G. Qin, Nonlinear guiding center theory of perpendicular diffusion: General properties and comparison with observation, *Geophys. Res. Lett.*, 31(L10805), 1–4, 2004.
- Biermann, L., Kometenschweife und solare Korpuskularstrahlung, *Zs. f. Ap.*, 29, 274–286, 1951.
- Biermann, L., Solar corpuscular radiation and the interplanetary gas, *The Observatory*, 77, 109–110, 1957.
- Blandford, R. D., and J. P. Ostriker, Particle acceleration by astrophysical shocks, *Astrophys. J.*, 221, L29–L32, 1978.
- Bochsler, P., Composition of matter in the heliosphere, in *Universal heliospherical processes, Proceedings IAU Symposium*, vol. 257, edited by N. Gopalswamy and D. F. Webb, pp. 17–28, 2008.
- Bridge, H. S., J. W. Belcher, R. J. Butler, A. J. Lazarus, A. M. Mavretic, J. D. Sullivan, G. L. Siscoe, and V. M. Vasyliunas, The plasma experiment on the 1977 Voyager mission, *Space Sci. Rev.*, 21, 259–287, 1977.
- Brun, A. S., S. Turck-Chieze, and P. Morel, Standard solar models in the light of new helioseismic constraints. I. The solar core, *Astrophys. J.*, 506, 913–925, 1998.
- Brun, A. S., S. Turck-Chieze, and J. P. Zahn, Standard solar models in the light of new helioseismic constraints. II. Mixing below the convective zone, *Astrophys. J.*, 525, 1032–1041, 1999.

- Bruno, R., and V. Carbone, The solar wind as a turbulence laboratory, *Living Reviews in Solar Physics*, 2, 1–186, 2005.
- Burger, R. A., On the theory and application of drift motion of charged particles in inhomogeneous magnetic field, Ph.D. thesis, Potchefstroom University for CHE, South Africa, 1987.
- Burger, R. A., Cosmic-ray modulation and the heliospheric magnetic field, *Adv. Space Res.*, 35, 636–642, 2005.
- Burger, R. A., and M. Hattingh, Steady-state drift-dominated modulation models for galactic cosmic rays, *Astrophys. and Space Sc.*, 230, 375–382, 1995.
- Burger, R. A., and M. Hattingh, Effect of Fisk-type heliospheric magnetic fields on the latitudinal transport of cosmic rays, in *Proceedings of the 27-th International Cosmic Ray Conference (Hamburg)*, vol. 9, pp. 3698–3701, 2001.
- Burger, R. A., and M. Hitge, The effect of a Fisk-type heliospheric magnetic field on cosmic-ray modulation, *Astrophys. J.*, 617, L73–L76, 2004.
- Burger, R. A., and M. S. Potgieter, The calculation of neutral sheet drift in two-dimensional cosmic-ray modulation models, *Astrophys. J.*, 339, 501–511, 1989.
- Burger, R. A., M. S. Potgieter, and B. Heber, Rigidity dependence of cosmic ray proton latitudinal gradients measured by the Ulysses spacecraft: Implications for the diffusion tensor, *J. Geophys. Res.*, 105, 27,447–27,455, 2000.
- Burger, R. A., T. P. J. Krüger, M. Hitge, and N. E. Engelbrecht, A Fisk-Parker hybrid heliospheric magnetic field with a solar-cycle dependence, *Astrophys. J.*, 674, 511–519, 2008.
- Burlaga, L. F., MHD processes in the outer heliosphere, *Space Sci. Rev.*, 39, 255–316, 1984.
- Burlaga, L. F., and K. W. Behannon, Magnetic clouds: Voyager observations between 2 and 4 AU, *Solar Physics*, 81, 181–192, 1982.
- Burlaga, L. F., and N. F. Ness, Voyager observations of the magnetic field in the distant heliosphere, *Space Sci. Rev.*, 83, 105–121, 1998.
- Burlaga, L. F., and N. F. Ness, Current sheets in the heliosheath: Voyager 1, 2009, *J. Geophys. Res.*, 116(A05102), 1–17, 2011.
- Burlaga, L. F., and K. W. Ogilvie, Mangetic and thermal pressures in the solar wind, *Solar Physics*, 15, 61–71, 1970.
- Burlaga, L. F., F. B. McDonald, M. L. Goldstein, and A. J. Lazarus, Cosmic ray modulation and turbulent interaction regions near 11 AU, *J. Geophys. Res.*, 90(A12), 12,027–12,039, 1985.
- Burlaga, L. F., F. B. McDonald, and N. F. Ness, Cosmic ray modulation and the distant heliospheric magnetic field - Voyager 1 and 2 observations from 1986 to 1989, *J. Geophys. Res.*, 98(17), 1–11, 1993.

- Burlaga, L. F., N. F. Ness, and F. B. McDonald, Voyagers 1 and 2 observe a GMIR and associated cosmic ray decreases at 61 and 82 AU, in *Proceedings of the 27-th International Cosmic Ray Conference (Hamburg)*, vol. 9, pp. 3641–3643, 2001.
- Burlaga, L. F., D. Berdichevsky, N. Gopalswamy, R. P. Lepping, and T. H. Zurbuchen, Merged interaction regions at 1 AU, *J. Geophys. Res.*, 108(A12), 1–12, 2003a.
- Burlaga, L. F., C. Wang, J. D. Richardson, and N. F. Ness, Large-scale magnetic field fluctuations and development of the 1999–2000 global merged interaction region: 1–60 AU, *Astrophys. J.*, 585, 1158–1168, 2003b.
- Burlaga, L. F., N. F. Ness, M. H. Acuña, R. P. Lepping, J. E. P. Connerney, E. C. Stone, and F. B. McDonald, Crossing the termination shock into the heliosheath: Magnetic fields, *Science*, 309, 2027–2029, 2005.
- Burlaga, L. F., N. F. Ness, and M. H. Acuña, Magnetic fields in the heliosheath: Voyager 1 observations, *Astrophys. J.*, 642, 584–592, 2006.
- Burlaga, L. F., N. F. Ness, and M. H. Acuña, Magnetic fields in the heliosheath and distant heliosphere: Voyager 1 and 2 observations during 2005 and 2006, *Astrophys. J.*, 668, 1246–1258, 2007.
- Burlaga, L. F., N. F. Ness, M. H. Acuña, R. P. Lepping, J. E. P. Connerney, and J. D. Richardson, Magnetic fields at the solar wind termination shock, *Nature*, 454, 75–77, 2008.
- Busching, I., and M. S. Potgieter, The variability of the proton cosmic ray flux on the Sun's way around the galactic center, *Adv. Space Res.*, 42, 504–509, 2008.
- Cane, H. V., G. Wibberenz, I. G. Richardson, and T. T. von Rosenvinge, Cosmic ray modulation and the solar magnetic field, *Geophys. Res. Lett.*, 26, 565–568, 1999.
- Castellani, V., S. D. Innocenti, G. Fiorentini, M. Lissia, and B. Ricci, Solar neutrinos: beyond standard solar models, *Physics Reports*, 281, 309–398, 1997.
- Cecchini, S., and J. J. Quenby, Three-dimensional models of galactic cosmic ray modulation, in *Proceedings of the 14-th International Cosmic Ray Conference (Munich)*, vol. 3, pp. 911–916, 1975.
- Choudhuri, A. R., *The physics of fluids and plasmas: An introduction for astrophysicists*, Cambridge University Press, 1998.
- Cliver, E. W., History of research on solar energetic particle (SEP) events: the evolving paradigm, in *Universal heliophysical processes, Proceedings IAU Symposium*, vol. 257, edited by N. Gopalswamy and D. F. Webb, pp. 401–412, 2008.
- Coroniti, F. V., C. F. Kennel, F. L. Scarf, and E. J. Smith, Whistler mode turbulence in the disturbed solar wind, *J. Geophys. Res.*, 87, 6029–6044, 1982.
- Cranmer, S. R., Coronal holes, *Living Reviews in Solar Physics*, 6, 3:1–66, 2009.

- Crooker, N. U., C. L. Huang, S. M. Lamassa, D. E. Larson, S. W. Kahler, and H. E. Spence, Heliospheric plasma sheets, *J. Geophys. Res.*, 109(A03107), 1–9, 2004.
- Cummings, A. C., E. C. Stone, and C. D. Steenberg, Composition of anomalous cosmic rays and other heliospheric ions, *Astrophys. J.*, 578, 194–210, 2002.
- Czechowski, A., M. Strumik, J. Grygorczuk, S. Grzedzielski, R. Ratkiewicz, and K. Scherer, Structure of the heliospheric current sheet from plasma convection in time-dependent heliospheric models, *Astron. Astrophys.*, 516(A17), 1–10, 2010.
- Decker, R. B., S. M. Krimigis, E. C. Roelof, M. E. Hill, T. P. Armstrong, G. Gloeckler, D. C. Hamilton, and L. J. Lanzerotti, Voyager 1 in the foreshock, termination shock and heliosheath, *Science*, 309, 2020–2024, 2005.
- DeRosa, M. L., and J. Toomre, Evolution of solar supergranulation, *Astrophys. J.*, 616, 1242–1260, 2004.
- Dicke, R. H., Why are sunspots dark and faculae bright?, *Astrophys. J.*, 159, 25–38, 1970.
- Dosch, A., A. Shalchi, and B. Weinhorst, Relation between different theories for cosmic ray cross field diffusion, *Adv. Space Res.*, 44, 1326–1336, 2009.
- Douglas, J., On the numerical integration of $\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = \frac{\partial u}{\partial t}$ by implicit methods, *J. Soc. Indust. Appl. Math.*, 3(1), 42–65, 1955.
- Douglas, J., Alternating direction methods for three space variables, *Numer. Math.*, 4, 41–63, 1962.
- Drury, L. O., An introduction to the theory of diffusive shock acceleration of energetic particles in tenuous plasmas, *Reports on Progress in Physics*, 46, 973–1027, 1983.
- Dunzlaff, P., A. Kopp, and B. Heber, Propagation of Jovian electron jets in heliospheric flux tube structures, *J. Geophys. Res.*, 115(A10106), 1–11, 2010.
- Earl, J. A., The diffusive idealization of charged-particle transport in random magnetic fields, *Astrophys. J.*, 193, 231–242, 1974.
- Eff-Darwich, A., S. G. Korzennik, and S. J. Jimenez-Reyes, Inversion of the internal solar rotation rate, *Astrophys. J.*, 573, 857–863, 2002.
- Effenberger, F., H. Fichtner, K. Scherer, S. Barra, J. Kleimann, and R. D. Strauss, A generalized diffusion tensor for fully anisotropic diffusion of energetic particles in the heliospheric magnetic field, *Astrophys. J.*, 750(108), 1–8, 2012.
- Engelbrecht, N. E., On the heliospheric diffusion tensor and its effect on 26-day recurrent cosmic ray variations., Master's thesis, North-West University (Potchefstroom Campus), South Africa, 2008.

- Erdos, G., Waves and turbulence in the solar wind, in *Turbulence, Waves and Instabilities in the Solar Plasma*, vol. 124(6), edited by R. Erdélyi, K. Petrovay, B. Roberts, and M. Aschwanden, pp. 367–386, Kluwer Academic Publishers, 2003.
- Erdos, G., and A. Balogh, In situ observations of magnetic field fluctuations, *Adv. Space Res.*, 35, 625–635, 2005.
- Erdos, G., and A. Balogh, North-south asymmetry of the location of the heliospheric current sheet revisited, *J. Geophys. Res.*, 115(A01105), 1–8, 2010.
- Esser, R., S. R. Habbal, W. A. Coles, and J. V. Hollweg, Hot protons in the inner corona and their effect on the flow properties of the solar wind, *J. Geophys. Res.*, 102, 7063–7074, 1997.
- Falkovich, G., and K. R. Sreenivasan, Lessons from hydrodynamic turbulence, *Physics Today*, 59 (4), 43–49, 2006.
- Feldman, U., E. Landi, and N. A. Schwadron, On the sources of fast and slow solar wind, *J. Geophys. Res.*, 110(A07109), 1–12, 2005.
- Ferreira, S. E. S., The heliospheric transport of galactic cosmic rays and Jovian electrons, Ph.D. thesis, Potchefstroom University for CHE, South Africa, 2002.
- Ferreira, S. E. S., The transport of galactic and jovian cosmic ray electrons in the heliosphere, *Adv. Space Res.*, 35, 586–596, 2005.
- Ferreira, S. E. S., Theory of cosmic ray modulation, *IAU Symposium*, 4 (S257), 429–438, 2009.
- Ferreira, S. E. S., and M. S. Potgieter, Modulation over a 22-year cosmic ray cycle: On the tilt angles of the heliospheric current sheet, *Adv. Space Res.*, 32(4), 657–662, 2003.
- Ferreira, S. E. S., and M. S. Potgieter, Long-term cosmic-ray modulation in the heliosphere, *Astrophys. J.*, 603, 744–752, 2004.
- Ferreira, S. E. S., and K. Scherer, Time evolution of galactic and anomalous cosmic ray spectra in a dynamic heliosphere, *Astrophys. J.*, 642, 1256–1266, 2006.
- Ferreira, S. E. S., M. S. Potgieter, and R. A. Burger, Comparison of a two- and three-dimensional drift model, in *Proceedings of the 26-th International Cosmic Ray Conference (Salt Lake City)*, vol. 7(77F), 1999.
- Ferreira, S. E. S., M. S. Potgieter, R. A. Burger, and B. Heber, Modulation effects of anisotropic perpendicular diffusion on cosmic ray electron intensities in the heliosphere, *J. Geophys. Res.*, 105, 18,305–18,314, 2000.
- Ferreira, S. E. S., M. S. Potgieter, R. A. Burger, B. Heber, and H. Fichtner, Modulation of Jovian and galactic electrons in the heliosphere: 1. Latitudinal transport of a few MeV electrons, *J. Geophys. Res.*, 106, 24,979–24,987, 2001.

- Ferreira, S. E. S., M. S. Potgieter, and D. M. Moeketsi, Modulation effects of a changing solar wind speed on low-energy electrons, *Adv. Space Res.*, 32(4), 675–680, 2003a.
- Ferreira, S. E. S., M. S. Potgieter, D. M. Moeketsi, B. Heber, and H. Fichtner, Solar wind effects on the transport of 3–10 MeV cosmic ray electrons from solar minimum to solar maximum, *Astrophys. J.*, 594, 552–560, 2003b.
- Ferreira, S. E. S., M. S. Potgieter, and W. R. Webber, Modulation of low-energy cosmic ray electrons in the outer heliosphere, *Adv. Space Res.*, 34, 126–131, 2004.
- Ferreira, S. E. S., M. S. Potgieter, and K. Scherer, Modeling of the heliospheric interface, magnetic field, and cosmic-ray transport, *Astrophys. J.*, 659, 1777–1783, 2007a.
- Ferreira, S. E. S., M. S. Potgieter, and K. Scherer, Transport and acceleration of anomalous cosmic rays in the inner heliosheath, *J. Geophys. Res.*, 112(A11101), 1–11, 2007b.
- Fichtner, H., Anomalous cosmic rays: Messengers from the outer heliosphere, *Space Sci. Rev.*, 95, 639–754, 2001.
- Fichtner, H., Cosmic rays in the heliosphere: progress in the modelling during the past 10 years, *Adv. Space Res.*, 35, 512–517, 2005.
- Fichtner, H., M. S. Potgieter, S. E. S. Ferreira, and R. A. Burger, On the propagation of Jovian electrons in the heliosphere: transport modelling in 4-D phase space, *Geophys. Res. Lett.*, 27, 1611–1614, 2000.
- Fichtner, H., M. S. Potgieter, S. E. S. Ferreira, B. Heber, and R. A. Burger, Time-dependent 3-D modelling of the heliospheric propagation of few-MeV electrons, in *Proceedings of the 27-th International Cosmic Ray Conference (Hamburg)*, vol. 9, pp. 3666–3669, 2001.
- Fisk, L. A., Solar modulation of galactic cosmic rays, 2., *J. Geophys. Res.*, 76, 221–226, 1971.
- Fisk, L. A., Possible evidence for latitude-dependent cosmic-ray modulation, in *Proceedings of the 14-th International Cosmic Ray Conference (Munich)*, vol. 3, pp. 905–909, 1975.
- Fisk, L. A., Solar modulation of galactic cosmic rays, 4. Latitude-dependent modulation, *J. Geophys. Res.*, 81, 4646–4650, 1976.
- Fisk, L. A., Motion of the footpoints of heliospheric magnetic field lines at the Sun: Implications for recurrent energetic particle events at high heliographic latitudes, *J. Geophys. Res.*, 101 (A7), 15,547–15,553, 1996.
- Fisk, L. A., and G. Gloeckler, The acceleration of anomalous cosmic rays by stochastic acceleration in the heliosheath, *Adv. Space Res.*, 43, 1471–1478, 2009.
- Fisk, L. A., and G. Gloeckler, Acceleration of galactic cosmic rays in the interstellar medium, *Astrophys. J.*, 744(127), 1–9, 2012.

- Fisk, L. A., B. Kozlovsky, and R. Ramaty, An interpretation of the observed oxygen and nitrogen enhancements in low-energy cosmic rays, *Astrophys. J.*, 190, L35–L37, 1974.
- Fisk, L. A., T. H. Zurbuchen, and N. A. Schwadron, On the coronal magnetic field: Consequences of large-scale motions, *Astrophys. J.*, 521, 868–877, 1999.
- Fletcher, L., B. R. Dennis, H. S. Hudson, S. Krucker, K. Phillips, A. Veronig, M. Battaglia, L. Bone, A. Caspi, Q. Chen, P. Gallagher, P. T. Grigis, H. Ji, W. Liu, R. O. Milligan, and M. Temmer, An observational overview of solar flares, *Space Sci. Rev.*, 159, 19–106, 2011.
- Florinski, V., Pickup ion acceleration at the termination shock and in the heliosheath, *Space Sci. Rev.*, 143, 111–124, 2009.
- Florinski, V., and J. R. Jokipii, A two-dimensional, self-consistent model of galactic cosmic rays in the heliosphere, *Astrophys. J.*, 523, L185–L188, 1999.
- Florinski, V., and N. V. Pogorelov, Four-dimensional transport of cosmic rays in the heliosphere, in *Numerical Modeling of Space Plasma Flows, Astronomical Society of the Pacific Conference Series*, vol. 385, edited by N. V. Pogorelov, E. Audit, and G. P. Zank, pp. 18–24, 2008.
- Florinski, V., and N. V. Pogorelov, Four-dimensional transport of galactic cosmic rays in the outer heliosphere and heliosheath, *Astrophys. J.*, 701, 642–651, 2009.
- Florinski, V., G. P. Zank, and N. V. Pogorelov, Galactic cosmic ray transport in the global heliosphere, *J. Geophys. Res.*, 108(A6), 1228, SSH 1: 1–16, 2003.
- Forbush, S. E., Three unusual cosmic-ray increases possibly due to charged particles from the Sun, *Physical Review Letters*, 70, 771–772, 1946.
- Forman, M. A., J. R. Jokipii, and A. J. Owens, Cosmic-ray streaming perpendicular to the mean magnetic field, *Astrophys. J.*, 192, 535–540, 1974.
- Forman, M. A., R. T. Wicks, and T. S. Horbury, Detailed fit of 'Critical Balance' theory to solar wind turbulence measurements, *Astrophys. J.*, 733(76), 1–8, 2011.
- Foullon, C., B. Lavraud, N. C. Wardle, C. J. Owen, H. Kucharek, A. N. Fazakerley, D. E. Larson, E. Lucek, J. G. Luhmann, A. Opitz, J. A. Sauvaud, and R. M. Skoug, The apparent layered structure of the heliospheric current sheet: Multi-spacecraft observations, *Solar Physics*, 259, 389–416, 2009.
- Fujii, Z., and F. B. McDonald, Study of the properties of the step decreases in galactic and anomalous cosmic rays over solar cycle 21, *J. Geophys. Res.*, 100(A9), 17,043–17,052, 1995.
- Fujiki, K., M. Kojima, M. Tokumaru, T. Ohmi, A. Yokobe, K. Hayashi, D. J. McComas, and H. A. Elliott, How did the solar wind structure change around the solar maximum? From interplanetary scintillation observation, *Ann. Geophys.*, 21, 1257–1261, 2003.

- Garaud, P., and C. Guervilly, The rotation rate of the solar radiative zone, *Astrophys. J.*, 695, 799–808, 2009.
- Giacalone, J., Cosmic -ray transport coefficients, *Space Sci. Rev.*, 83, 351–363, 1998.
- Giacalone, J., and J. R. Jokipii, The transport of cosmic rays across a turbulent magnetic field, *Astrophys. J.*, 520, 204–214, 1999.
- Giacalone, J., J. R. Jokipii, and J. Kota, Particle drifts in a fluctuating magnetic field, in *Proceedings of the 26-th International Cosmic Ray Conference (Salt Lake City)*, vol. 7, pp. 37–40, 1999.
- Gleeson, L. J., and W. I. Axford, Cosmic rays in the interplanetary medium, *Astrophys. J.*, 149, L115–L118, 1967.
- Gleeson, L. J., and W. I. Axford, The Compton-Getting effect, *Astrophys. and Space Sc.*, 2(4), 431–437, 1968.
- Gloeckler, G., L. A. Fisk, J. Geiss, M. E. Hill, D. C. Hamilton, R. B. Decker, and S. M. Krimigis, Composition of interstellar neutrals and the origin of anomalous cosmic rays, *Space Sci. Rev.*, 143, 163–175, 2009.
- Goldstein, M. L., A nonlinear theory of cosmic-ray pitch-angle diffusion in homogeneous magnetostatic turbulence, *Astrophys. J.*, 204, 900–919, 1976.
- Goldstein, M. L., A. J. Klimas, and G. Sandri, Mirroring in the fokker-planck coefficient for cosmic-ray pitch-angle scattering in homogeneous magnetic turbulence, *Astrophys. J.*, 195, 787–799, 1975.
- Goldstein, M. L., D. A. Roberts, and W. H. Matthaeus, Magnetohydrodynamic turbulence in the solar wind, *Annu. Rev. Astron. Astrophys.*, 33, 283–325, 1995.
- Gopalswamy, N., Properties of interplanetary coronal mass ejections, *Space Sci. Rev.*, 124, 145–168, 2006.
- Grechnev, V. V., V. G. Kurt, I. M. Chertok, A. M. Uralov, H. Nakajima, A. T. Altyntsev, A. V. Belov, B. Y. Yushkov, S. N. Kuznetsov, L. K. Kashapova, N. S. Meshalkina, and N. P. Prestage, An extreme solar event of 20 January 2005: Properties of the flare and the origin of energetic particles, *Solar Physics*, 252, 149–177, 2008.
- Gurevitz, M., NASA's Voyager spacecraft: A fact sheet, in *CRS report for Congress*, Congressional Research Service - The Library of Congress, pp. 1–3, 2005.
- Haasbroek, L. J., and M. S. Potgieter, The modulation of cosmic rays in the high latitude heliosphere: A computer simulation, *Space Sci. Rev.*, 72, 385–390, 1995.
- Haasbroek, L. J., M. S. Potgieter, and G. Wibberenz, Long-term cosmic-ray modulation along the Ulysses trajectory: A numerical simulation, in *Proceedings of the 24-th International Cosmic Ray Conference (Rome)*, vol. 4, pp. 768–771, 1995.

- Hale, G. E., On the probable existence of a magnetic field in sun-spots, *Astrophys. J.*, 28, 315–343, 1908.
- Hale, G. E., and S. B. Nicholson, The law of sun-spot polarity, *Astrophys. J.*, 62, 270–300, 1925.
- Hasselmann, K., and G. Wibberenz, A note on the parallel diffusion coefficient, *Astrophys. J.*, 162, 1049–1051, 1970.
- Hathaway, D. H., The solar cycle, *Living Reviews in Solar Physics*, 7, 1–65, 2010.
- Hathaway, D. H., D. Nandy, R. M. Wilson, and E. J. Reichmann, Evidence that a deep meridional flow sets the sunspot cycle period, *Astrophys. J.*, 589, 665–670, 2003.
- Hattingh, M., The modulation of galactic cosmic rays in a three-dimensional heliosphere, Ph.D. thesis, Potchefstroom University for CHE, South Africa, 1998.
- Hattingh, M., and R. A. Burger, Some properties of a fully three-dimensional drift model for the modulation of galactic cosmic rays, in *Proceedings of the 24-th International Cosmic Ray Conference (Rome)*, vol. 4, pp. 337–340, 1995a.
- Hattingh, M., and R. A. Burger, A new simulated wavy neutral sheet drift model, *Adv. Space Res.*, 16(9), 213–216, 1995b.
- Heber, B., Cosmic rays through the solar hale cycle, *Space Sci. Rev. Online*, pp. 1–14, 2011.
- Heber, B., and M. S. Potgieter, Cosmic rays at high heliolatitudes, *Space Sci. Rev.*, 127, 117–194, 2006.
- Heber, B., and M. S. Potgieter, *Galactic and anomalous cosmic rays throught the solar cycle: New insights from Ulysses*, The heliosphere through the solar activity cycle, Springer-Praxis Books and Springer Science+Business Media, 2008.
- Heber, B., W. Droege, P. Ferrando, L. J. Haasbroek, H. Kunow, R. Müller-Mellin, C. Paizis, M. S. Potgieter, A. Raviart, and G. Wibberenz, Spatial variation of $> 40\text{MeV/n}$ nuclei fluxes observed during the Ulysses rapid latitude scan., *Astron. Astrophys.*, 316, 538–546, 1996.
- Heber, B., P. Ferrando, A. Raviart, G. Wibberenz, R. Müller-Mellin, H. Kunow, H. Sierks, V. Bothmer, A. Posner, C. Paizis, and M. S. Potgieter, Differences in the temporal variations of galactic cosmic ray electrons and protons: Implications from Ulysses at solar minimum, *Geophys. Res. Lett.*, 26(14), 2133–2136, 1999a.
- Heber, B., T. R. Sanderson, and M. Zhang, Corotating interaction regions, *Adv. Space Res.*, 23(3), 567–579, 1999b.
- Heber, B., P. Ferrando, A. Raviart, C. Paizis, A. Posner, G. Wibberenz, R. Müller-Mellin, H. Kunow, M. S. Potgieter, S. E. S. Ferreira, R. A. Burger, H. Fichtner, and R. Schlickeiser, 3-20 MeV electrons in the inner three-dimensional heliosphere at solar maximum: Ulysses COSPIN/KET observations, *Astrophys. J.*, 579, 888–894, 2002.

- Heber, B., A. Kopp, J. Gieseler, R. Müller-Mellin, H. Fichtner, K. Scherer, M. S. Potgieter, and S. E. S. Ferreira, Modulation of galactic cosmic ray protons and electrons during an unusual solar minimum, *Astrophys. J.*, 699, 1956–1963, 2009.
- Heerikhuisen, J., and N. V. Pogorelov, An estimate of the nearby interstellar magnetic field using neutral atoms, *Astrophys. J.*, 738(29), 1–9, 2011.
- Hinze, J. O., *Turbulence*, McGraw-Hill Classical Textbook Reissue Series, 1975.
- Hitge, M., and R. A. Burger, Cosmic ray modulation with a Fisk-type heliospheric magnetic field and a latitude-dependent solar wind speed, *Adv. Space Res.*, 45, 18–27, 2010.
- Hoeksema, J. T., Large-scale structure of the heliospheric magnetic field: 1976–1991, in *Solar Wind Seven Colloquium*, pp. 191–196, 1992.
- Horbury, T. S., and A. Balogh, Evolution of magnetic field fluctuations in high-speed solar wind streams: Ulysses and Helios observations, *J. Geophys. Res.*, 106(A8), 15,929–15,940, 2001.
- Horbury, T. S., A. Balogh, R. J. Forsyth, and E. J. Smith, The rate of turbulent evolution over the Sun's poles, *Astron. Astrophys.*, 316, 333–341, 1996.
- Horbury, T. S., M. A. Forman, and S. Oughton, Anisotropic scaling of magnetohydrodynamic turbulence, *Physical Review Letters*, 101(17), 175,005–175,009, 2008.
- Howard, T. A., and S. J. Tappin, Interplanetary coronal mass ejections observed in the heliosphere: I. Review of theory, *Space Sci. Rev.*, 147, 31–54, 2009.
- Howes, G. G., S. C. Cowley, W. Dorland, G. W. Hammett, E. Quataert, and A. A. Schekochihin, Dissipation-scale turbulence in the solar wind, in *AIP Conf. Proc. : Turbulence and nonlinear processes in Astrophysical plasmas*, vol. 978, edited by D. Shaikh and G. P. Zank, pp. 3–8, 2007.
- Hoyt, D. V., and K. H. Schatten, Group sunspot numbers: A new solar activity reconstruction, *Solar Physics*, 181, 491–512, 1998.
- Hudson, H. S., Global properties of solar flares, *Space Sci. Rev.*, 158, 5–41, 2011.
- Hudson, H. S., J. L. Bougeret, and J. Burkepile, Coronal mass ejections: Overview of observations, *Space Sci. Rev.*, 123, 13–30, 2006.
- Izmodenov, V. V., G. Gloeckler, and Y. Malama, When will Voyager 1 and 2 cross the termination shock?, *Geophys. Res. Lett.*, 30(7), 3:1–4, 2003.
- Jokipii, J. R., Cosmic-ray propagation. I. Charged particles in a random magnetic field, *Astrophys. J.*, 146, 480–487, 1966.
- Jokipii, J. R., Particle acceleration at a termination shock 1. Application to the solar wind and the anomalous component, *J. Geophys. Res.*, 91(A3), 2929–2932, 1986.
- Jokipii, J. R., and J. M. Davila, Effects of particle drift on the transport of cosmic rays. IV. More realistic diffusion coefficients, *Astrophys. J.*, 248, 1156–1161, 1981.

- Jokipii, J. R., and D. A. Kopriva, Effects of particle drift on the transport of cosmic rays. III. Numerical model of galactic cosmic-ray modulation, *Astrophys. J.*, 234, 384–392, 1979.
- Jokipii, J. R., and J. Kota, The polar heliospheric magnetic field, *Geophys. Res. Lett.*, 16, 1–4, 1989.
- Jokipii, J. R., and J. Kota, The maximum energy of anomalous cosmic rays, in *Proceedings of the 24-th International Cosmic Ray Conference (Rome)*, vol. 4, pp. 718–721, 1995.
- Jokipii, J. R., and E. N. Parker, On the convection, diffusion, and adiabatic deceleration of cosmic rays in the solar wind, *Astrophys. J.*, 160, 735–744, 1970.
- Jokipii, J. R., and B. T. Thomas, Effects of drift on the transport of cosmic rays IV. Modulation by a wavy interplanetary current sheet, *Astrophys. J.*, 243, 1115–1122, 1981.
- Jokipii, J. R., E. H. Levy, and W. B. Hubbard, Effects of particle drift on cosmic-ray transport. I. General properties, application to solar modulation, *Astrophys. J.*, 213(3), 861–868, 1977.
- Jokipii, J. R., J. Kota, J. Giacalone, T. S. Horbury, and E. J. Smith, Interpretation and consequences of large-scale magnetic variances observed at high heliographic latitude, *Geophys. Res. Lett.*, 22(23), 3385–3388, 1995.
- Kane, R. P., Solar activity during sunspot minimum, *Indian Journal of Radio and Space Physics*, 40, 7–10, 2011.
- Katushkina, O. A., and V. V. Izmodenov, Effect of the heliospheric interface on the distribution of interstellar hydrogen atom inside the heliosphere, *Astronomy Letters*, 36(4), 297–306, 2010.
- Keller, C. U., M. Schussler, A. Vogler, and V. Zakharov, On the origin of solar faculae, *Astrophys. J.*, 607, L59–L62, 2004.
- Kissmann, R., H. Fichtner, and S. E. S. Ferreira, The influence of CIRs on the energetic electron flux at 1 AU, *Astron. Astrophys.*, 419, 357–363, 2004.
- Kivelson, M. G., and C. T. Russel, *Introduction to Space Physics*, Cambridge University Press, 1995.
- Kohlhase, C. E., and P. A. Penzo, Voyager mission description, *Space Sci. Rev.*, 21, 77–101, 1977.
- Kojima, M., A. R. Breen, K. Fujiki, K. Hayashi, T. Ohmi, and M. Tokumaru, Fast solar wind after the rapid acceleration, *J. Geophys. Res.*, 109(A04103), 1–10, 2004.
- Kolmogorov, A. N., The local structure of turbulence in incompressible viscous fluid for very large Reynolds numbers, *Dokl. Akad. Nauk. SSSR*, 30, 301–305, 1941.
- Koskinen, H. E., *Physics of space storms: From the solar surface to the Earth*, Springer-Praxis Books in Environmental Sciences, 2011.
- Kota, J., and J. R. Jokipii, Effects of drift on the transport of cosmic rays. VI - A three-dimensional model including diffusion, *Astrophys. J.*, 265, 573–581, 1983.

- Kota, J., and J. R. Jokipii, The role of corotating interaction regions in cosmic-ray modulation, *Geophys. Res. Lett.*, 18(10), 1797–1800, 1991.
- Kota, J., and J. R. Jokipii, 3-D distribution of cosmic rays in the outer heliosphere, in *Proceedings of the 24-th International Cosmic Ray Conference (Rome)*, vol. 4, pp. 680–683, 1995.
- Kota, J., and J. R. Jokipii, 3-D simulations of heliospheric transport: A comparison of models, in *Proceedings of the 25-th International Cosmic Ray Conference (Durban)*, vol. 2, pp. 25–29, 1997.
- Kota, J., and J. R. Jokipii, Cosmic-ray modulation and the structure of the heliospheric magnetic field, in *Proceedings of the 26-th International Cosmic Ray Conference (Salt Lake City)*, vol. 7, pp. 9–12, 1999.
- Kota, J., and J. R. Jokipii, Velocity correlation and the spatial diffusion coefficients of cosmic rays: Compound diffusion, *Astrophys. J.*, 531, 1067–1070, 2000.
- Kota, J., and J. R. Jokipii, Recurrent depressions of galactic cosmic rays in CIRs: 22-year cycle, in *Proceedings of the 27-th International Cosmic Ray Conference (Hamburg)*, vol. 9, pp. 3577–3580, 2001a.
- Kota, J., and J. R. Jokipii, 3-D modeling of cosmic-ray transport in the heliosphere: Toward solar maximum, *Adv. Space Res.*, 27, 529–534, 2001b.
- Kraichnan, R. H., Inertial-range spectrum of hydromagnetic turbulence, *Phys. Fluids*, 8, 1385–1387, 1965.
- Krimigis, S. M., T. P. Armstrong, W. I. Axford, C. O. Bostrom, C. Y. Fan, G. Gloeckler, and L. J. Lanzerotti, The low energy charged particle (LECP) experiment on the Voyager spacecraft, *Space Sci. Rev.*, 21, 329–354, 1977.
- Krimigis, S. M., E. C. Roelof, R. B. Decker, and M. E. Hill, Zero outward flow velocity for plasma in a heliosheath transition layer, *Nature*, 474, 359–361, 2011.
- Krulls, W. M., and A. Achterberg, Computation of cosmic-ray acceleration by Ito's stochastic differential equations, *Astron. Astrophys.*, 286, 314–327, 1994.
- Krymsky, G. F., P. A. Krivoshapkin, V. P. Mamrukova, and S. K. Gerasimova, North-south asymmetry of the heliosphere from cosmic-ray observations, *Astronomy Letters*, 35(5), 333–337, 2009.
- Kuker, M., and M. Stix, Differential rotation of the present and the pre-main-sequence Sun, *Astron. Astrophys.*, 366, 668–675, 2001.
- Kunow, H., and M. A. Lee, Corotating interaction regions at high latitudes, *Space Sci. Rev.*, 89, 221–268, 1999.
- Labrosse, N., P. Heinzel, J. C. Vial, T. Kucera, S. Parenti, S. Gunar, B. Schmieder, and G. Kilper, Physics of solar prominences: I - Spectral diagnostics and non-LTE modelling, *Space Sci. Rev.*, 151, 243–332, 2010.

- Lallement, R., E. Quemerais, J. L. Bertaux, S. Ferron, D. Koutroumpa, and R. Pellinen, Deflection of the interstellar neutral hydrogen flow across the heliospheric interface, *Science*, 307, 1447–1449, 2005.
- Lange, D., H. Fichtner, and R. Kissmann, Time-dependent 3D modulation of Jovian electrons. Comparison with Ulysses/KET observations, *Astron. Astrophys.*, 449, 401–410, 2006.
- Langner, U. W., Effects of termination shock acceleration on cosmic rays in the heliosphere, Ph.D. thesis, Potchefstroom University for CHE, South Africa, 2004.
- Langner, U. W., and M. S. Potgieter, Modulation of galactic protons in an asymmetrical heliosphere, *Astrophys. J.*, 630, 1114–1124, 2005.
- Langner, U. W., M. S. Potgieter, and W. R. Webber, Modulation of cosmic ray protons in the heliosheath, *J. Geophys. Res.*, 108 (A10), 8039, LIS 14: 1–9, 2003.
- Langner, U. W., M. S. Potgieter, and W. R. Webber, Modelling of ‘barrier’ modulation for cosmic ray protons in the outer heliosphere, *Adv. Space Res.*, 34, 138–143, 2004.
- Langner, U. W., M. S. Potgieter, H. Fichtner, and T. Borrmann, Effects of different solar wind speed profiles in the heliosheath on the modulation of cosmic-ray protons, *Astrophys. J.*, 640, 1119–1134, 2006.
- Lario, D., E. C. Roelof, R. B. Decker, G. C. Ho, C. G. Maclennan, and J. T. Gosling, Solar cycle variations of the energetic H/He intensity ratio at high heliolatitudes and in the ecliptic plane, *Ann. Geophys.*, 21, 1229–1243, 2003.
- Le Roux, J. A., The solar modulation of galactic cosmic rays as described by a time-dependent drift model, Ph.D. thesis, Potchefstroom University for CHE, South Africa, 1990.
- Le Roux, J. A., Time-dependent cosmic-ray modulation and global merged interaction regions, *Adv. Space Res.*, 23(3), 491–499, 1999.
- Le Roux, J. A., and H. Fichtner, A self-consistent determination of the heliospheric termination shock structure in the presence of pickup, anomalous and galactic cosmic ray protons, *J. Geophys. Res.*, 102(A8), 17,365–17,380, 1997.
- Le Roux, J. A., and H. Fichtner, Global merged interaction regions, the heliospheric termination shock, and time-dependent cosmic ray modulation, *J. Geophys. Res.*, 104(A3), 4709–4730, 1999a.
- Le Roux, J. A., and H. Fichtner, The simulation of step decreases in the cosmic ray intensity with a cosmic-ray-hydrodynamic model, *Adv. Space Res.*, 23(3), 501–504, 1999b.
- Le Roux, J. A., and M. S. Potgieter, Episodic cosmic-ray modulation in the heliosphere, *Adv. Space Res.*, 9(4), 225–228, 1989.

- Le Roux, J. A., and M. S. Potgieter, The simulated features of heliospheric cosmic-ray modulation with a time-dependent drift model. IV - The role of heliospheric neutral sheet deformation, *Astrophys. J.*, 397, 686–693, 1992.
- Le Roux, J. A., and M. S. Potgieter, The simulation of complete 11 and 22 year modulation cycles for cosmic rays in the heliosphere using a drift model with global merged interaction regions, *Astrophys. J.*, 442, 847–851, 1995.
- Le Roux, J. A., M. S. Potgieter, and V. S. Ptuskin, A transport model for the diffusive shock acceleration and modulation of anomalous cosmic rays in the heliosphere, *J. Geophys. Res.*, 101(A3), 4791–4803, 1996.
- Le Roux, J. A., G. P. Zank, and V. S. Ptuskin, An evaluation of perpendicular diffusion models regarding cosmic ray modulation on the basis of a hydromagnetic description for solar wind turbulence, *J. Geophys. Res.*, 104(A11), 24,845–24,862, 1999.
- Le Roux, J. A., G. M. Webb, A. Shalchi, and G. P. Zank, A generalized nonlinear guiding center theory for the collisionless anomalous perpendicular diffusion of cosmic rays, *Astrophys. J.*, 716, 671–692, 2010.
- Leamon, R. J., Dissipation of magnetic fluctuations in the solar wind, Ph.D. thesis, University of Delaware, USA, 1999.
- Leamon, R. J., C. W. Smith, N. F. Ness, W. H. Matthaeus, and H. K. Wong, Observational constraints on the dynamics of the interplanetary magnetic field dissipation range, *J. Geophys. Res.*, 103, 4775–4787, 1998.
- Leamon, R. J., W. H. Matthaeus, C. W. Smith, G. P. Zank, D. J. Mullan, and S. Oughton, MHD-driven kinetic dissipation in the solar wind and corona, *Astrophys. J.*, 537, 1054–1062, 2000.
- Leighton, R. B., The solar granulation, *Annu. Rev. Astron. Astrophys.*, 1, 19–40, 1963.
- Leighton, R. B., A magneto-kinematic model of the solar cycle, *Astrophys. J.*, 156, 1–26, 1969.
- Liewer, P. C., S. R. Karmesin, and J. U. Brackbill, The effect of neutrals on the global heliosphere and interplanetary shock propagation time to the heliopause, in *AIP Conf. Proc. : Proceedings of the eighth international solar wind conference: Solar wind eight*, vol. 382, edited by D. Winterhalter, J. T. Gosling, S. R. Habbal, W. S. Kurth, and M. Neugebauer, pp. 613–616, 1996.
- Lockwood, J. A., and W. R. Webber, On the interplanetary cosmic ray latitudinal gradient, *J. Geophys. Res.*, 97(A6), 8221–8230, 1992.
- Lockwood, M., and R. Stamper, Long-term drift of the coronal source magnetic flux and the total solar irradiance, *J. Geophys. Res.*, 26(16), 2461–2464, 1999.
- Luo, Q. Y., and D. J. Wu, Observations of anisotropic scaling of solar wind turbulence, *Astrophys. J.*, 714, L138–L141, 2010.

- Lynch, B. J., J. R. Gruesbeck, T. H. Zurbuchen, and S. K. Antiochos, Solar cycle-dependent helicity transport by magnetic clouds, *J. Geophys. Res.*, 110(A08107), 1–11, 2005.
- Mackay, D. H., J. T. Karpen, J. L. Ballester, B. Schmieder, and G. Aulanier, Physics of solar prominences: II - Magnetic structure and dynamics, *Space Sci. Rev.*, 151, 333–399, 2010.
- Magidimisha, E., A study of the time-dependent modulation of cosmic rays in the inner heliosphere, Master's thesis, North-West University (Potchefstroom Campus), South Africa, 2011.
- Manuel, R., S. E. S. Ferreira, and M. S. Potgieter, Cosmic ray modulation in the outer heliosphere: Predictions for cosmic ray intensities up to the heliopause along Voyager 1 and 2 trajectories, *Adv. Space Res.*, 48, 874–883, 2011a.
- Manuel, R., S. E. S. Ferreira, and M. S. Potgieter, Cosmic ray modulation along Voyager 1 and 2 trajectories, in *Proceedings of the 32-nd International Cosmic Ray Conference (Beijing)*, vol. 11, pp. 19–22, 2011b.
- Manuel, R., S. E. S. Ferreira, M. S. Potgieter, R. D. Strauss, and N. E. Engelbrecht, Time-dependent cosmic ray modulation, *Adv. Space Res.*, 47, 1529–1537, 2011c.
- Manuel, R., S. E. S. Ferreira, M. S. Potgieter, R. D. Strauss, and N. E. Engelbrecht, Long-term galactic cosmic ray modulation in the heliosphere, in *Proceedings of the 32-nd International Cosmic Ray Conference (Beijing)*, vol. 11, pp. 23–26, 2011d.
- Marino, R., L. Sorriso-Valvo, V. Carbone, A. Noullez, R. Bruno, and B. Bavassano, The energy cascade in solar wind MHD turbulence, *Earth Moon Planet*, 104, 115–119, 2009.
- Marsden, R. G., The heliosphere after Ulysses, *Astrophys. and Space Sc.*, 277, 337–347, 2001.
- Matthaeus, W. H., M. L. Goldstein, and D. A. Roberts, Evidence for the presence of quasi-two-dimensional nearly incompressible fluctuations in the solar wind, *J. Geophys. Res.*, 95(A12), 20,673–20,683, 1990.
- Matthaeus, W. H., G. Qin, J. W. Bieber, and G. P. Zank, Nonlinear collisionless perpendicular diffusion of charged particles, *Astrophys. J.*, 590, L53–L56, 2003.
- Matthaeus, W. H., J. W. Bieber, D. Ruffolo, P. Chuychai, and J. Minnie, Spectral properties and length scales of two-dimensional magnetic field models, *Astrophys. J.*, 667, 956–962, 2007.
- Maunder, E. W., Note on the distribution of sun-spots in heliographic latitude, 1874–1902, *Mon. Not. R. Astron. Soc.*, 64, 747–761, 1904.
- McComas, D. J., R. W. Ebert, H. A. Elliott, B. E. Goldstein, J. T. Gosling, N. A. Schwadron, and R. M. Skoug, Weaker solar wind from the polar coronal holes and the whole Sun, *Geophys. Res. Lett.*, 35(L18103), 1–5, 2008.

- McComas, D. J., D. Alexashov, M. Bzowski, H. J. Fahr, J. Heerikhuisen, V. V. Izmodenov, M. A. Lee, E. Mobius, N. V. Pogorelov, N. A. Schwadron, and G. P. Zank, The heliosphere's interstellar interaction: No bow shock, *Science*, 336, 1291–1293, 2012.
- McDonald, F. B., and L. F. Burlaga, Global merged interaction regions in the outer heliosphere, in *Cosmic winds and the heliosphere*, edited by J. R. Jokipii, C. P. Sonett, and M. S. Giampapa, pp. 389–423, 1997.
- McDonald, F. B., H. Moraal, J. P. Reinecke, N. Lal, and R. McGuire, The cosmic radiation in the heliosphere at successive solar minima, *J. Geophys. Res.*, 97(A2), 1557–1570, 1992.
- McDonald, F. B., W. R. Webber, and D. V. Reames, Unusual time histories of galactic and anomalous cosmic rays at 1 AU over the deep solar minimum of cycle 23/24, *Geophys. Res. Lett.*, 37(L18101), 1–5, 2010.
- Mewaldt, R. A., R. S. Selesnick, J. R. Cummings, and E. C. Stone, Evidence for multiply charged anomalous cosmic rays, *Astrophys. J.*, 466, L43–L46, 1996.
- Mewaldt, R. A., A. J. Davis, K. A. Lave, R. A. Leske, E. C. Stone, M. E. Wiedenbeck, W. R. Binns, E. R. Christian, A. C. Cummings, G. A. De Nolfo, M. H. Israel, A. W. Labrador, and T. T. von Rosenvinge, Record-setting cosmic-ray intensities in 2009 and 2010, *Astrophys. J. Lett.*, 723, L1–L6, 2010.
- Mikic, Z., J. A. Linker, P. Riley, and R. Lionello, Predicting the structure of the solar corona during the 11 August 1999 total solar eclipse, in *The last total solar eclipse of the millennium in Turkey, ASP Conference*, vol. 205, edited by W. Livingston and A. Ozguc, pp. 162–172, 2000.
- Miller, J. A., Particle acceleration in impulsive solar flares, *Space Sci. Rev.*, 86, 79–105, 1998.
- Minnie, J., J. W. Bieber, W. H. Matthaeus, and R. A. Burger, Suppression of particle drifts by turbulence, *Astrophys. J.*, 670, 1149–1158, 2007.
- Minnie, J., W. H. Matthaeus, J. W. Bieber, D. Ruffolo, and R. A. Burger, When do particles follow field lines?, *J. Geophys. Res.*, 114(A01102), 1–7, 2009.
- Moeketsi, D. M., Modelling of galactic and Jovian electrons in the heliosphere., Master's thesis, North-West University (Potchefstroom Campus), South Africa, 2004.
- Moeketsi, D. M., M. S. Potgieter, S. E. S. Ferreira, B. Heber, H. Fichtner, and V. K. Henize, The heliospheric modulation of 3–10 MeV electrons: Modeling of changes in the solar wind speed in relation to perpendicular polar diffusion, *Adv. Space Res.*, 35, 597–604, 2005.
- Moore, R., and D. Rabin, Sunspots, *Annu. Rev. Astron. Astrophys.*, 23, 239–266, 1985.
- Moraal, H., and L. J. Gleeson, Three-dimensional models of the galactic cosmic-ray modulation, in *Proceedings of the 14-th International Cosmic Ray Conference (Munich)*, vol. 12, pp. 4189–4194, 1975.

- Moraal, H., and P. H. Stoker, Long-term neutron monitor observations and the 2009 cosmic ray maximum, *J. Geophys. Res.*, 115(A12109), 1–9, 2010.
- Moraal, H., L. J. Gleeson, and G. M. Webb, Effects of charged particle drifts on the modulation of the intensity of galactic cosmic rays, in *Proceedings of the 16-th International Cosmic Ray Conference (Kyoto)*, vol. 3, pp. 1–6, 1979.
- Moraal, H., A. Belov, and J. Clem, Design and co-ordination of multi-station international neutron monitor networks, *Space Sci. Rev.*, 93, 285–303, 2000.
- Moraal, H., R. A. Caballero-Lopez, K. G. McCracken, F. B. McDonald, R. A. Mewaldt, V. S. Ptuskin, and M. E. Wiedenbeck, Cosmic ray energy changes at the termination shock and in the heliosheath, in *AIP Conf. Proc. : Physics of the Inner Heliosheath*, vol. 858, edited by J. Heerikhuisen, V. Florinski, G. P. Zank, and N. V. Pogorelov, pp. 219–225, 2006.
- Muller, H. R., P. C. Frisch, V. Florinski, and G. P. Zank, Heliospheric response to different possible interstellar environments, *Astrophys. J.*, 647, 1491–1505, 2006.
- Muller, H. R., V. Florinski, J. Heerikhuisen, V. V. Izmodenov, K. Scherer, D. Alexashov, and H. J. Fahr, Comparing various multi-component global heliosphere models, *Astron. Astrophys.*, 491, 43–51, 2008.
- Muller, H. R., P. C. Frisch, B. D. Fields, and G. P. Zank, The heliosphere in time, *Space Sci. Rev.*, 143, 415–425, 2009.
- Ndiitwani, D. C., A study of the time-dependent modulation of galactic cosmic rays in the heliosphere., Master's thesis, North-West University (Potchefstroom Campus), South Africa, 2005.
- Ndiitwani, D. C., S. E. S. Ferreira, M. S. Potgieter, and B. Heber, Modelling cosmic ray intensities along the Ulysses trajectory, *Ann. Geophys.*, 23, 1061–1070, 2005.
- Nelson, G. D., and S. Musman, The scale of solar granulation, *Astrophys. J.*, 222, L69–L72, 1978.
- Ness, N. F., and J. M. Wilcox, Sector structure of the quiet interplanetary magnetic field, *Science*, 148(3677), 1592–1594, 1965.
- Ngobeni, M. D., and M. S. Potgieter, The heliospheric modulation of cosmic rays: Effects of a latitude dependent solar wind termination shock, *Adv. Space Res.*, 46, 391–401, 2010.
- Ngobeni, M. D., and M. S. Potgieter, Modulation of galactic cosmic rays in a north-south asymmetrical heliosphere, *Adv. Space Res.*, 48, 300–307, 2011.
- Ngobeni, M. D., and M. S. Potgieter, Modelling of galactic carbon in an asymmetrical heliosphere: Effects of asymmetrical modulation conditions, *Adv. Space Res.*, 49, 1660–1669, 2012.
- Nkosi, G. S., M. S. Potgieter, and W. R. Webber, Modelling of low-energy galactic electrons in the heliosheath, *Adv. Space Res.*, 48, 1480–1489, 2011.

- Nndanganeni, R. R., Modelling of galactic cosmic ray electrons in the heliosphere, Master's thesis, North-West University (Potchefstroom Campus), South Africa, 2012.
- Ofman, L., The origin of the slow solar wind in coronal streamers, *Adv. Space Res.*, 33, 681–688, 2004.
- Opher, M., E. C. Stone, and P. C. Liewer, The effects of a local interstellar magnetic field on Voyager 1 and 2 observations, *Astrophys. J.*, 640, L71–L74, 2006.
- Opher, M., F. A. Bibi, G. Toth, J. D. Richardson, V. V. Izmodenov, and T. I. Gombosi, A strong, highly-tilted interstellar magnetic field near the solar system, *Nature*, 462, 1036–1038, 2009a.
- Opher, M., J. D. Richardson, G. Toth, and T. I. Gombosi, Confronting observations and modeling: The role of the interstellar magnetic field in Voyager 1 and 2 asymmetries, *Space Sci. Rev.*, 143, 43–55, 2009b.
- Palmer, I. D., Transport coefficients of low-energy cosmic rays in interplanetary space, *Reviews of Geophysics and Space Physics*, 20, 335–351, 1982.
- Parker, E. N., Dynamics of the interplanetary gas and magnetic fields, *Astrophys. J.*, 128, 664–676, 1958.
- Parker, E. N., The hydrodynamic theory of solar corpuscular radiation and stellar winds, *Astrophys. J.*, 132, 821–866, 1960.
- Parker, E. N., The passage of energetic charged particles through interplanetary space, *Planet. Space Sci.*, 13, 9–49, 1965.
- Passos, D., S. Brandao, and I. Lopes, On the luminosity evolution of the Sun during the last 7 millennia, *Adv. Space Res.*, 40, 990–995, 2007.
- Paularena, K. I., and J. H. King, *NASA's IMP 8 spacecraft, Interball in the ISTP Program: Studies of the solar wind-magnetosphere-ionosphere interaction*, Kluwer, 1999.
- Pauls, H. L., and G. P. Zank, Interaction of a nonuniform solar wind with the local interstellar medium, *J. Geophys. Res.*, 101(A8), 17,081–17,092, 1996.
- Pauls, H. L., and G. P. Zank, Interaction of a nonuniform solar wind with the local interstellar medium: 2. A two-fluid model, *J. Geophys. Res.*, 102(A9), 19,779–19,787, 1997.
- Peaceman, D. W., and H. H. Rachford, The numerical solution of parabolic and elliptic differential equations, *J. Soc. Indust. Appl. Math.*, 3(1), 28–41, 1955.
- Pei, C., J. W. Bieber, R. A. Burger, and J. Clem, A general time-dependent stochastic method for solving Parker's transport equation in spherical coordinates, *J. Geophys. Res.*, 115(A12107), 1–12, 2010.
- Pei, C., J. W. Bieber, R. A. Burger, and J. Clem, Three-dimensional wavy heliospheric current sheet drifts, *Astrophys. J.*, 744(170), 1–5, 2012.

- Perko, J. S., and L. A. Fisk, Solar modulation of galactic cosmic rays. 5 - Time-dependent modulation, *J. Geophys. Res.*, 88(A11), 9033–9036, 1983.
- Perri, S., V. Carbone, and P. Veltri, Where does fluid-like turbulence break down in the solar wind?, *Astrophys. J. Lett.*, 725, L52–L55, 2010.
- Pesses, M. E., J. R. Jokipii, and D. Eichler, Cosmic ray drift, shock wave acceleration, and the anomalous component of cosmic rays, *Astrophys. J.*, 246, L85–L88, 1981.
- Podesta, J. J., Dependence of solar-wind power spectra on the direction of the local mean magnetic field, *Astrophys. J.*, 698, 986–999, 2009.
- Pogorelov, N. V., J. Heerikhuisen, and G. P. Zank, Probing heliospheric asymmetries with an MHD-Kinetic model, *Astrophys. J.*, 675, L41–L44, 2008a.
- Pogorelov, N. V., G. P. Zank, and T. Ogino, MHD modeling of the outer heliosphere: Achievements and challenges, *Adv. Space Res.*, 41, 306–317, 2008b.
- Pogorelov, N. V., J. Heerikhuisen, J. J. Mitchell, I. H. Cairns, and G. P. Zank, Heliospheric asymmetries and 2-3 kHz radio emission under strong interstellar magnetic field conditions, *Astrophys. J.*, 695, L31–L34, 2009a.
- Pogorelov, N. V., J. Heerikhuisen, G. P. Zank, J. J. Mitchell, and I. H. Cairns, Heliospheric asymmetries due to the action of the interstellar magnetic field, *Adv. Space Res.*, 44, 1337–1344, 2009b.
- Pontieu, B. D., S. W. McIntosh, V. H. Hansteen, and C. J. Schrijver, Observing the roots of solar coronal heating - in the chromosphere, *Astrophys. J.*, 701, L1–L6, 2009.
- Potgieter, M. S., The modulation of galactic cosmic rays as described by a three-dimensional drift model, Ph.D. thesis, Potchefstroom University for CHE, South Africa, 1984.
- Potgieter, M. S., Time-dependent cosmic-ray modulation - Role of drifts and interaction regions, *Adv. Space Res.*, 13, 239–249, 1993.
- Potgieter, M. S., Heliospheric modulation of galactic electrons: Consequences of new calculations for the mean free path of electrons between 1 MeV and \sim 10 GeV, *J. Geophys. Res.*, 101 (A11), 24,411–24,422, 1996.
- Potgieter, M. S., The heliospheric modulation of galactic cosmic rays at solar minimum, *Adv. Space Res.*, 19, 883–892, 1997.
- Potgieter, M. S., The modulation of galactic cosmic rays in the heliosphere: Theory and models, *Space Sci. Rev.*, 83, 147–158, 1998.
- Potgieter, M. S., Heliospheric modulation of cosmic ray protons: Role of enhanced perpendicular diffusion during periods of minimum solar modulation, *J. Geophys. Res.*, 105 (A8), 18,295–18,303, 2000.

- Potgieter, M. S., Solar cycle variations and cosmic rays, *J. Atmospheric and Solar-Terrestrial Physics*, 70, 207–218, 2008.
- Potgieter, M. S., The dynamic heliosphere, solar activity, and cosmic rays, *Adv. Space Res.*, 46, 402–412, 2010.
- Potgieter, M. S., and S. E. S. Ferreira, The importance of perpendicular diffusion in the heliospheric modulation of cosmic ray electrons, *Adv. Space Res.*, 23, 463–466, 1999.
- Potgieter, M. S., and L. J. Haasbroek, The simulation of base-line cosmic-ray modulation for the Ulysses trajectory, in *Proceedings of the 23-nd International Cosmic Ray Conference (Calgary)*, vol. 3, pp. 457–460, 1993.
- Potgieter, M. S., and J. A. Le Roux, A numerical model for a cosmic ray modulation barrier in the outer heliosphere, *Astron. Astrophys.*, 209, 406–410, 1989.
- Potgieter, M. S., and J. A. Le Roux, The simulated features of heliospheric cosmic-ray modulation with a time-dependent drift model. I. General effects of the changing neutral sheet over the period 1985-1990, *Astrophys. J.*, 386, 336–346, 1992.
- Potgieter, M. S., and J. A. Le Roux, The long-term heliospheric modulation of galactic cosmic rays according to a time-dependent drift model with merged interaction regions, *Astrophys. J.*, 423, 817–827, 1994.
- Potgieter, M. S., and H. Moraal, A drift model for the modulation of galactic cosmic rays, *Astrophys. J.*, 294, 425–440, 1985.
- Potgieter, M. S., and H. Moraal, Acceleration of cosmic rays in the solar wind termination shock. I. A steady state technique in a spherically symmetric model, *Astrophys. J.*, 330, 445–455, 1988.
- Potgieter, M. S., J. A. Le Roux, L. F. Burlaga, and F. B. McDonald, The role of merged interaction regions and drifts in the heliospheric modulation of cosmic rays beyond 20 AU: A computer simulation, *Astrophys. J.*, 403, 760–768, 1993.
- Potgieter, M. S., L. J. Haasbroek, P. Ferrando, and B. Heber, The modelling of the latitude dependence of cosmic ray protons and electrons in the inner heliosphere, *Adv. Space Res.*, 19(6), 917–920, 1997.
- Potgieter, M. S., E. E. Vos, M. Boezio, N. De Simone, V. Di Felice, and V. Formant, Modulation of galactic protons in the heliosphere during the unusual solar minimum of 2006 to 2009, *Astrophys. J.*, (submitted), 2012.
- Qin, G., Nonlinear parallel diffusion of charged particles: Extension to the nonlinear guiding center theory, *Astrophys. J.*, 656, 217–221, 2007.
- Qin, G., W. H. Matthaeus, and J. W. Bieber, Subdiffusive transport of charged particles perpendicular to the large scale magnetic field, *Geophys. Res. Lett.*, 29 (4), 1048, 7: 1–4, 2002a.

- Qin, G., W. H. Matthaeus, and J. W. Bieber, Perpendicular transport of charged particles in composite model turbulence: Recovery of diffusion, *Astrophys. J.*, 578, L117–L120, 2002b.
- Reinecke, J. P., H. Moraal, and F. B. McDonald, The cosmic radiation in the heliosphere at successive solar minima 3. Steady state drift solutions of the transport equation, *J. Geophys. Res.*, 101(A10), 21,581–21,588, 1996.
- Richardson, I. G., H. V. Cane, T. T. von Rosenvinge, and R. McGuire, IMP 8 GME energetic particle observations over three solar cycles, in *Proceedings of the 30-th International Cosmic Ray Conference (Mexico City)*, vol. 1, pp. 323–326, 2007.
- Richardson, J. D., and L. F. Burlaga, The solar wind in the outer heliosphere and heliosheath, *Space Sci. Rev. Online*, pp. 1–19, 2011.
- Richardson, J. D., and C. Wang, Plasma in the heliosheath: 3.5 years of observations, *Astrophys. J. Lett.*, 734(L21), 1–5, 2011.
- Richardson, J. D., J. C. Kasper, C. Wang, J. W. Belcher, and A. J. Lazarus, Cool heliosheath plasma and deceleration of the upstream solar wind at the termination shock, *Nature*, 454, 63–66, 2008.
- Riley, P., J. A. Linker, and Z. Mikic, Modeling the heliospheric current sheet: Solar cycle variations, *J. Geophys. Res.*, 107(A7), SSH 8:1–6, 2002.
- Roberts, D. A., J. Giacalone, J. R. Jokipii, M. L. Goldstein, and T. D. Zepp, Spectra of polar heliospheric fields and implications for field structure, *J. Geophys. Res.*, 112(A08103), 1–6, 2007.
- Robitaille, P. M., The solar photosphere: Evidence for condensed matter, *Progress in Physics*, 2, 17–21, 2006.
- Rouillard, A. P., B. Lavraud, N. R. Sheeley, J. A. Davies, L. F. Burlaga, N. P. Savani, C. Jacquay, and R. J. Forsyth, White light and in situ comparison of a forming merged interaction region, *Astrophys. J.*, 719, 1385–1392, 2010.
- Scarf, F. L., and D. A. Gurnett, A plasma wave investigation for the Voyager mission, *Space Sci. Rev.*, 21, 289–308, 1977.
- Schatten, K. H., J. M. Wilcox, and N. F. Ness, A model of interplanetary and coronal magnetic fields, *Solar Physics*, 6, 442–455, 1969.
- Scherer, K., and H. J. Fahr, Remote diagnostic of the solar-cycle-induced heliospheric interface variation using energetic neutral atoms, *Astron. Astrophys.*, 404, L47–L50, 2003a.
- Scherer, K., and H. J. Fahr, Breathing of heliospheric structures triggered by the solar-cycle activity, *Ann. Geophys.*, 21, 1303–1313, 2003b.

- Scherer, K., and S. E. S. Ferreira, A heliospheric hybrid model: hydrodynamic plasma flow and kinetic cosmic ray transport, *ASTRA*, 1, 17–27, 2005a.
- Scherer, K., and S. E. S. Ferreira, The heliomagnetic and solar-cycle related variations of the cosmic ray flux modeled with the BoPo-hybrid code, *Astron. Astrophys.*, 442, L11–L14, 2005b.
- Scherer, K., S. E. S. Ferreira, M. S. Potgieter, and H. Fichtner, Time- and latitude-dependence of the compression ratio and the injection rate at the heliospheric termination shock, in *AIP Conf. Proc. : Physics of the Inner Heliosheath*, vol. 858, edited by J. Heerikhuisen, V. Florinski, G. P. Zank, and N. V. Pogorelov, pp. 20–26, 2006a.
- Scherer, K., H. Fichtner, T. Borrmann, J. Beer, L. Desorgher, E. Flükiger, H. J. Fahr, S. E. S. Ferreira, U. W. Langner, M. S. Potgieter, B. Heber, J. Masarik, N. Shaviv, and J. Veizer, Interstellar-terrestrial relations: Variable cosmic environments, the dynamic heliosphere, and their imprints on terrestrial archives and climate, *Space Sci. Rev.*, 127, 327–465, 2006b.
- Scherer, K., H. Fichtner, R. D. Strauss, S. E. S. Ferreira, M. S. Potgieter, and H. J. Fahr, On cosmic ray modulation beyond the heliopause: Where is the modulation boundary?, *Astrophys. J.*, 735(128), 1–5, 2011.
- Schlaepfer, H., Cosmic rays, *Spatium*, 11, 1–15, 2003.
- Schlickeiser, R., and J. A. Miller, Quasi-linear theory of cosmic ray transport and acceleration: The role of oblique magnetohydrodynamic waves and transit-time damping, *Astrophys. J.*, 492, 352–378, 1998.
- Schwadron, N. A., M. Owens, and N. U. Crooker, The heliospheric magnetic field over the Hale cycle, *ASTRA*, 4, 19–26, 2008.
- Schwenn, R., Solar wind sources and their variations over the solar cycle, *Space Sci. Rev.*, 124, 51–76, 2006.
- Shalchi, A., Time-dependent transport and subdiffusion of cosmic rays, *J. Geophys. Res.*, 110(A09103), 1–6, 2005a.
- Shalchi, A., Second-order quasilinear theory of cosmic ray transport, *Physics of Plasmas*, 12(052905), 1–10, 2005b.
- Shalchi, A., Extended nonlinear guiding center theory of perpendicular diffusion, *Astron. Astrophys.*, 453, L43–L46, 2006.
- Shalchi, A., *Nonlinear cosmic ray diffusion theories, Astrophysics and Space Science Library*, vol. 362, Springer-Verlag Berlin Heidelberg, 2009.
- Shalchi, A., A unified particle diffusion theory for cross-field scattering: Subdiffusion, recovery of diffusion, and diffusion in three-dimensional turbulence, *Astrophys. J. Lett.*, 720, L127–L130, 2010.

- Shalchi, A., J. W. Bieber, and W. H. Matthaeus, Analytic forms of the perpendicular diffusion coefficient in magnetostatic turbulence, *Astrophys. J.*, 604, 675–686, 2004.
- Shalchi, A., J. W. Bieber, and W. H. Matthaeus, Pitch-angle scattering in pure two-dimensional and two-component turbulence, *Astron. Astrophys.*, 483, 371–381, 2008.
- Shaviv, N., and G. Shaviv, The state of ^{7}Be in the core of the Sun and the solar neutrino flux, *Mon. Not. R. Astron. Soc.*, 341, 119–128, 2003.
- Sheeley, N. R., Y. M. Wang, S. H. Hawley, G. E. Brueckner, K. P. Dere, et al., Measurements of flow speeds in the corona between 2 and 30 R_{\odot} , *Astrophys. J.*, 484, 472–478, 1997.
- Siluszyk, M., and M. V. Alania, On the internal boundary conditions problem for the Parker's transport equation of galactic cosmic rays, in *Proceedings of the 27-th International Cosmic Ray Conference (Hamburg)*, vol. 9, pp. 3722–3724, 2001.
- Sime, D. G., and J. Streete, Solar coronal structure near the time of the 1991 July 11 total solar eclipse, *Astrophys. J.*, 408, 368–372, 1993.
- Simpson, J. A., J. D. Anglin, A. Balogh, M. Bercovitch, J. M. Bouman, E. E. Budzinski, J. R. Burrows, R. Carvell, J. J. Connell, R. Ducros, P. Ferrando, et al., The Ulysses cosmic ray and solar particle investigation, *Astron. Astrophys.*, 92, 365–399, 1992.
- Smith, C. W., J. W. Bieber, and W. H. Matthaeus, Cosmic-ray pitch angle scattering in isotropic turbulence. II. Sensitive dependence on the dissipation range spectrum, *Astrophys. J.*, 363, 283–291, 1990.
- Smith, C. W., K. Hamilton, B. J. Vasquez, and R. J. Leamon, Dependence of the dissipation range spectrum of interplanetary magnetic fluctuations on the rate of energy cascade, *Astrophys. J.*, 645, L85–L88, 2006a.
- Smith, C. W., P. A. Isenberg, W. H. Matthaeus, and J. D. Richardson, Turbulent heating of the solar wind by newborn interstellar pickup protons, *Astrophys. J.*, 638, 508–517, 2006b.
- Smith, C. W., B. J. Vasquez, K. Hamilton, B. T. MacBride, J. A. Tassein, M. A. Forman, and R. J. Leamon, Turbulence spectrum of interplanetary magnetic fluctuations and the rate of energy cascade, in *AIP Conf. Proc. : Turbulence and nonlinear processes in Astrophysical plasmas*, vol. 978, edited by D. Shaikh and G. P. Zank, pp. 96–101, 2007.
- Smith, E. J., The heliosphere and beyond. II, in *Plasmas in the Universe*, edited by B. Coppi, A. Ferrari, and E. Sindoni, Proceedings of the International School of Physics "Enrico Fermi" Course: CXLII, pp. 205–226, IOS Press: Amsterdam, 2000.
- Smith, E. J., The heliospheric current sheet, *J. Geophys. Res.*, 106(A8), 15,819–15,831, 2001.
- Smith, E. J., Solar cycle evolution of the heliospheric magnetic field: The Ulysses legacy, *J. Atmospheric and Solar-Terrestrial Physics*, 73, 277–289, 2011.

- Smith, E. J., J. R. Jokipii, J. Kota, R. P. Lepping, and A. Szabo, Evidence of a north-south asymmetry in the heliosphere associated with a southward displacement of the heliospheric current sheet, *Astrophys. J.*, 533, 1084–1089, 2000.
- Snyman, J. L., Modelling of the heliosphere and cosmic ray transport, Master's thesis, North-West University (Potchefstroom Campus), South Africa, 2007.
- Spiegel, E. A., and J. P. Zahn, The solar tachocline, *Astron. Astrophys.*, 265, 106–114, 1992.
- Stawicki, O., Quasi-linear drift of cosmic rays in weak turbulent electromagnetic fields, *Astrophys. J.*, 624, 178–188, 2005a.
- Stawicki, O., Nonlinear perpendicular diffusion in strong turbulent electromagnetic fields, *Adv. Space Res.*, 35, 547–553, 2005b.
- Steenberg, C. D., and H. Moraal, An acceleration/modulation model for anomalous cosmic ray hydrogen in the heliosphere, *Astrophys. J.*, 463, 776–783, 1996.
- Steenkamp, R., and H. Moraal, A numerical model for the study of the anomalous component of cosmic rays, in *Proceedings of the 24th International Cosmic Ray Conference (Rome)*, vol. 4, pp. 735–738, 1995.
- Sternal, O., N. E. Engelbrecht, R. A. Burger, S. E. S. Ferreira, H. Fichtner, B. Heber, A. Kopp, M. S. Potgieter, and K. Scherer, Possible evidence for a Fisk-type heliospheric magnetic field. I. Analyzing Ulysses/KET electron observations, *Astrophys. J.*, 741(23), 1–12, 2011.
- Stix, M., *The Sun: An introduction*, Springer, 2004.
- Stone, E. C., R. E. Vogt, F. B. McDonald, B. J. Teegarden, J. H. Trainor, J. R. Jokipii, and W. R. Webber, Cosmic ray investigation for the Voyager missions; Energetic particle studies in the outer heliosphere - and beyond, *Space Sci. Rev.*, 21, 355–376, 1977.
- Stone, E. C., A. C. Cummings, F. B. McDonald, B. C. Heikkila, N. Lal, and W. R. Webber, Voyager 1 explores the termination shock region and the heliosheath beyond, *Science*, 309, 2017–2020, 2005.
- Stone, E. C., A. C. Cummings, F. B. McDonald, B. C. Heikkila, N. Lal, and W. R. Webber, An asymmetric solar wind termination shock, *Nature*, 454, 71–74, 2008.
- Strauss, R. D., Modelling of anomalous cosmic rays, Master's thesis, North-West University (Potchefstroom Campus), South Africa, 2010.
- Strauss, R. D., M. S. Potgieter, and S. E. S. Ferreira, The heliospheric transport and modulation of multiple charged anomalous oxygen revisited, *Astron. Astrophys.*, 513(A24), 1–6, 2010a.
- Strauss, R. D., M. S. Potgieter, S. E. S. Ferreira, and M. E. Hill, Modelling anomalous cosmic ray oxygen in the heliosheath, *Astron. Astrophys.*, 522(A35), 1–8, 2010b.

- Strauss, R. D., M. S. Potgieter, I. Busching, and A. Kopp, Modeling the modulation of galactic and jovian electrons by stochastic processes, *Astrophys. J.*, 735(83), 1–13, 2011.
- Strauss, R. D., M. S. Potgieter, I. Busching, and A. Kopp, Modelling heliospheric current sheet drift in stochastic cosmic ray transport models, *Astrophys. and Space Sc.*, 339, 223–236, 2012a.
- Strauss, R. D., M. S. Potgieter, and S. E. S. Ferreira, Modeling ground and space based cosmic ray observations, *Adv. Space Res.*, 49, 392–407, 2012b.
- Tautz, R. C., A. Shalchi, and R. Schlickeiser, Solving the 90° scattering problem in isotropic turbulence, *Astrophys. J.*, 685, L165–L168, 2008.
- Ternullo, M., The butterfly diagram fine structure, *Solar Physics*, 240, 153–164, 2007.
- Teufel, A., and R. Schlickeiser, Analytic calculation of the parallel mean free path of heliospheric cosmic rays. I. Dynamical magnetic slab turbulence and random sweeping slab turbulence, *Astron. Astrophys.*, 393, 703–715, 2002.
- Teufel, A., and R. Schlickeiser, Analytic calculation of the parallel mean free path of heliospheric cosmic rays. II. Dynamical magnetic slab turbulence and random sweeping slab turbulence with finite wave power at small wavenumbers, *Astron. Astrophys.*, 397, 15–25, 2003.
- Thomas, B. T., and E. J. Smith, The Parker spiral configuration of the interplanetary magnetic field between 1 and 8.5 AU, *J. Geophys. Res.*, 85(A12), 6861–6867, 1980.
- Turck-Chieze, S., and S. Talon, The dynamics of the solar radiative zone, *Adv. Space Res.*, 41, 855–860, 2008.
- Usoskin, I. G., A history of solar activity over millennia, *Living Reviews in Solar Physics*, 5, 1–88, 2008.
- Usoskin, I. G., K. Mursula, and G. A. Kovaltsov, Was one sunspot cycle lost in late XVIII century?, *Astron. Astrophys.*, 370, L31–L34, 2001.
- Visser, D. J., The effect of turbulence-modified drift on the modulation of galactic cosmic rays in the heliosphere., Master's thesis, North-West University (Potchefstroom Campus), South Africa, 2010.
- Vos, E. E., Cosmic ray modulation processes in the heliosphere, Master's thesis, North-West University (Potchefstroom Campus), South Africa, 2012.
- Vourlidas, A., A review of white light streamers at the end of cycle 23, in *Proceedings Solar Activity and its Magnetic Origin, IAU Symposium*, vol. 233, pp. 1–8, 2006.
- Wang, C., and J. W. Belcher, The heliospheric boundary response to large-scale solar wind fluctuations: A gasdynamic model with pickup ions, *J. Geophys. Res.*, 104(A1), 549–556, 1999.
- Wang, Y. M., Coronal holes and open magnetic flux, *Space Sci. Rev.*, 144, 383–399, 2009.

- Wang, Y. M., Semiempirical models of the slow and fast solar wind, *Space Sci. Rev.*, pp. 1–21, 2011.
- Wang, Y. M., and N. R. Sheeley, Solar implications of Ulysses interplanetary field measurements, *Astrophys. J.*, 447, L143–L146, 1995.
- Washimi, H., G. P. Zank, Q. Hu, T. Tanaka, K. Munakata, and H. Shinagawa, Realistic and time-varying outer heliospheric modelling, *Mon. Not. R. Astron. Soc.*, 416, 1475–1485, 2011.
- Webb, G. M., G. P. Zank, E. K. Kaghaghvili, and J. A. Le Roux, Compound and perpendicular diffusion of cosmic rays and random walk of the field lines. I. Parallel particle transport models, *Astrophys. J.*, 651, 211–236, 2006.
- Webber, W. R., An empirical estimate of the heliospheric termination shock location with time with application to the intensity increases of MeV protons seen at Voyager 1 in 2002–2005, *J. Geophys. Res.*, 110(A10103), 1–7, 2005.
- Webber, W. R., and D. S. Intriligator, Voyagers 1 and 2 in a shrunken and squashed heliosphere, *J. Geophys. Res.*, 116(A06105), 1–8, 2011.
- Webber, W. R., and J. A. Lockwood, Intensity variations of > 70-MeV cosmic rays measured by Pioneer 10, Voyager 1 & 2 and IMP in the heliosphere during the recovery period from 1992–1995, *Geophys. Res. Lett.*, 22, 2669–2672, 1995.
- Webber, W. R., and J. A. Lockwood, Voyager and Pioneer spacecraft measurements of cosmic ray intensities in the outer heliosphere: Toward a new paradigm for understanding the global solar modulation process 1. Minimum solar modulation (1987 and 1997), *J. Geophys. Res.*, 106(A12), 29,323–29,331, 2001.
- Webber, W. R., M. S. Potgieter, and R. A. Burger, A comparison of predictions of a wavy neutral sheet drift model with cosmic-ray data over a whole modulation cycle: 1976–1987, *Astrophys. J.*, 349, 634–640, 1990.
- Wenzel, K. P., R. G. Marsden, D. E. Page, and E. J. Smith, The Ulysses mission, *Astron. Astrophys.*, 92, 207–219, 1992.
- Whang, Y. C., L. F. Burlaga, and N. F. Ness, Locations of the termination shock and the heliopause, *J. Geophys. Res.*, 100(A9), 17,015–17,023, 1995.
- Whang, Y. C., L. F. Burlaga, Y. M. Wang, and N. R. Sheeley, The termination shock near 35° latitude, *Geophys. Res. Lett.*, 31(L03805), 1–4, 2004.
- Wibberenz, G., I. G. Richardson, and H. V. Cane, A simple concept for modeling cosmic ray modulation in the inner heliosphere during solar cycles 20–23, *J. Geophys. Res.*, 107(A11), SSH 5: 1–15, 2002.
- Withbroe, G. L., and R. W. Noyes, Mass and energy flow in the solar chromosphere and corona, *Annu. Rev. Astron. Astrophys.*, 15, 363–387, 1977.

- Wood, B. E., H. R. Muller, G. P. Zank, V. V. Izmodenov, and J. L. Linsky, The heliospheric hydrogen wall and astrospheres, *Adv. Space Res.*, 34, 66–73, 2004.
- Zank, G. P., W. H. Matthaeus, and C. W. Smith, Evolution of turbulent magnetic fluctuation power with heliospheric distance, *J. Geophys. Res.*, 101(A8), 17,093–17,107, 1996a.
- Zank, G. P., H. L. Pauls, L. L. Williams, and D. T. Hall, Interaction of the solar wind with the local interstellar medium: A multifluid approach, *J. Geophys. Res.*, 101(A10), 21,639–21,655, 1996b.
- Zank, G. P., N. V. Pogorelov, J. Heerikhuisen, H. Washimi, V. Florinski, S. Borovikov, I. Kryukov, and H. R. Muller, Physics of the solar wind-local interstellar medium interaction: Role of magnetic fields, *Space Sci. Rev.*, 146, 295–327, 2009.
- Zhang, M., A Markov stochastic process theory of cosmic-ray modulation, *Astrophys. J.*, 513, 409–420, 1999.
- Zhang, M., Acceleration of galactic and anomalous cosmic rays in the heliosheath, in *AIP Conf. Proc. : Physics of the Inner Heliosheath*, vol. 858, edited by J. Heerikhuisen, V. Florinski, G. P. Zank, and N. V. Pogorelov, pp. 226–232, 2006.
- Zurbuchen, T. H., A new view of the coupling of the Sun and the heliosphere, *Annu. Rev. Astron. Astrophys.*, 45, 297–338, 2007.
- Zurbuchen, T. H., N. A. Schwadron, and L. A. Fisk, Direct observational evidence for a heliospheric magnetic field with large excursions in latitude, *J. Geophys. Res.*, 102, 24,175–24,181, 1997.

Acknowledgements

First and foremost I would like to express my deep gratitude to Prof. Stefan Ferreira and Prof. Marius Potgieter, my research supervisors, for their patient guidance, enthusiastic encouragement and useful critiques of this research work.

I would also like to thank Prof. Adri Burger, Prof. Harm Moraal, Dr Paulus Kruger, Mr. Du Toit Strauss, Mr. Eugene Engelbrecht, Mr. Donald Ngobeni, Mr. Sibusiso Nkosi, Mr. Dima Visser, Mr. Etienne Vos and Dr. Christopher Ndiiwani for their advice and assistance to attain the theoretical and numerical grounding needed for this study. My grateful thanks are also extended to Dr. Ingo Busching, Dr. Andreas Kopp and Dr. Rogelio Caballero for providing additional assistance. I would also like to extend my thanks to Mr. Mathew Holleran and Mr. Hennie Boshoff for their computed related assistance, and Mrs. Petro Sieberhagen, Mrs. Elanie van Rooyen and Mrs. Lee-Ann van Wyk for their administrative assistance. In addition, I wish to thank Dr. Klaus Scherer, Dr. Horst Fichtner, Prof. Bernd Heber and Dr. Oliver Sternal for various contributions. Also I wish to thank Mr. N.A. Samuel for language editing this thesis.

I wish to thank NRF South Africa, North West University and CHPC for the financial support.

I would like to express special personal thanks to:

- The teachers and lecturers from St. Louis School Mundamveli, St. Pauls School Fort-cochin, T.D.H.S. Mattancherry, Aquinas College Edacochin, St. Alberts College Ernakulam and all my tuition teachers.
- Mr. Joseph John of Aquinas College for giving me a chance to choose science.
- Miss Omana and Joya Varughese for offering me an opportunity to come to South Africa.
- Uncle Sam, Johney Desouza, Antoinette Venter and Marietjie Jooste for their help during my difficult times.
- George John for introducing me to my study leaders at NWU, Potchefstroom.
- My parents, Augustine and Roselind.

Finally, I wish to thank my wife Soby for her support and sacrifice throughout my study. I also thank my daughter Rose for her smiles, which kept me going.